					STATE (RTMENT OF N ISION OF OIL				AMENDED RE	FORM 3		
		APPLI	CATION FO	R PERMIT TO	O DRILL			1. WELL NAME and Chap	NUMBER ita Wells Unit 158	30-25D		
2. TYPE O		LL NEW WELL (iii)	REENTER I	P&A WELL	DEEPEN WEI	ш 🗀		3. FIELD OR WILD	CAT NATURAL BUTTE	 S		
4. TYPE O		Gas W		lbed Methane V				5. UNIT or COMMU			NT NAME	
6. NAME (F OPERATOR	Gd5 W			veii. NO			7. OPERATOR PHO	NE			
EOG Resources, Inc. 8. ADDRESS OF OPERATOR									AIL .			
10. MINEI	RAL LEASE NUM		East Highway	11. MINER	84078 AL OWNERSHI	[P		14. SURFACE OWNER PHONE (if box 12 = 'fee') 16. SURFACE OWNER E-MAIL (if box 12 = 'fee') 19. SLANT VERTICAL DIRECTIONAL HORIZONTAL TOWNSHIP RANGE MERIDIAN 9.0 S 22.0 E S 9.0 S 22.0 E S 9.0 S 22.0 E S 23. NUMBER OF ACRES IN DRILLING UNIT 1800 26. PROPOSED DEPTH MD: 9395 TVD: 9320 29. SOURCE OF DRILLING WATER /				
(FEDERAL, INDIAN, OR STATE) UTU0285A FEDERAL INDIAN STATE FEE								FEDERAL 📵 IN	DIAN 📄 STA	ATE 🔵	FEE 🔵	
13. NAME	OF SURFACE O	WNER (if box 12	= 'fee')					14. SURFACE OWN	ER PHONE (if b	ox 12 = '	'fee')	
15. ADDR	ESS OF SURFAC	E OWNER (if box	12 = 'fee')					16. SURFACE OWN	ER E-MAIL (if b	ox 12 =	'fee')	
	N ALLOTTEE O	R TRIBE NAME			TO COMMING	GLE PRODUCT	TION FROM	19. SLANT				
(if box 12	= 'INDIAN')				(Submit Commir	ingling Applicat	tion) NO 📵	VERTICAL DI	RECTIONAL 📵	HORIZO	ONTAL 🛑	
20. LOCA	TION OF WELL		F	OOTAGES	Q	QTR-QTR	SECTION	TOWNSHIP	RANGE	M	MERIDIAN	
LOCATIO	N AT SURFACE		2125	FNL 1186 FWL		SWNW	25	9.0 S	22.0 E		S	
Top of U	Top of Uppermost Producing Zone 1918 FNL			FNL 540 FWL		SWNW	25	9.0 S	22.0 E		S	
At Total	Depth		1918	FNL 540 FWL		SWNW	25	9.0 S	22.0 E		S	
21. COUN		JINTAH		22. DISTAN	ICE TO NEARES	ST LEASE LIN 540	IE (Feet)	23. NUMBER OF AC		NG UNIT	•	
	25. DISTANCE TO NEAREST WELL IN SAME POOL (Applied For Drilling or Completed) 26. PROPOSED DEPTH											
27. ELEVA	TION - GROUN	D LEVEL		28. BOND N		830						
		5079			NN	M2308		WATER RIGHTS AP		ÉR IF AP	PLICABLE	
				Hole, (Casing, and	Cement Inf	ormation					
String	Hole Size	Casing Size	Length	Weight	Grade &	Thread	Max Mud Wt.	Cement	Sacks	Yield	Weight	
Surf	12.25	9.625	0 - 2250	36.0	J-55 S	ST&C	0.0	Type III	135	4.1	10.5	
								Type V	135	1.18	15.6	
Prod	7.875	4.5	0 - 9395	11.6	N-80	LT&C	10.5	Light (Hibon	d) 325	1.61	12.5	
								50/50 Poz	795	1.47	13.5	
					ATTAC	CHMENTS						
	VERIFY TH	E FOLLOWING	ARE ATTAC	HED IN ACC	ORDANCE W	VITH THE U	TAH OIL AND G	AS CONSERVATI	ON GENERAL	. RULES	3	
W WE	LL PLAT OR MA	AP PREPARED BY	LICENSED SU	IRVEYOR OR E	NGINEER	№ сом	IPLETE DRILLING	9.0 S 22.0 E S				
AFF	IDAVIT OF STA	TUS OF SURFACE	OWNER AGE	REEMENT (IF F	EE SURFACE)	FOR	M 5. IF OPERATOR	R IS OTHER THAN T	HE LEASE OWN	ER		
DIRECTIONAL SURVEY PLAN (IF DIRECTIONALLY OR HORIZONTALLY TOPO							OGRAPHICAL MAR	,				
NAME Nanette Lupcho TITLE Regulatory Assistant							PHONE 435 781	9157				
SIGNATU	IRE		DAT	E 11/03/2011			EMAIL Nanette_	_upcho@EOGResourc	es.com			
	BER ASSIGNED 475215600		АРР	ROVAL			Permit	Manager				



DRILLING PLAN MULTI-WELL PAD:

CWU 1580-25D, CWU 1581-25D, CWU 1582-25D, CWU 1583-25D, CWU 1584-25D, CWU 1585-25D

SW/NW, SEC. 25, T9S, R22E, S.L.B.&M.. UINTAH COUNTY, UTAH

1. & 2. ESTIMATED TOPS & ANTICIPATED OIL, GAS, & WATER ZONES:

	CWU 1	580-25D	CWU 1	581-25D	CWU 1	582-25D	CWU 1	583-25D
FORMATION	TVD	MD	TVD	MD	TVD	MD	TVD	MD
Green River	1513	1529	1510	1542	1521	1532	1510	1536
Birdsnest	1718	1741	1726	1769	1734	1748	1715	1752
Mahogany Oil Shale Bed	2286	2329	2290	2361	2290	2312	2276	2342
Wasatch	4628	4703	4635	4778	4636	4681	4618	4751
Chapita Wells	5222	5297	5230	5372	5232	5277	5210	5343
Buck Canyon	5889	5963	5882	6024	5917	5962	5866	5999
North Horn	6582	6657	6602	6744	6574	6619	6579	6712
KMV Price River	6929	7004	6945	7087	6929	6974	6913	7045
KMV Price River Middle	7803	7878	7815	7958	7804	7849	7796	7928
KMV Price River Lower	8605	8679	8616	8758	8605	8650	8598	8730
Sego	9120	9195	9131	9274	9121	9166	9107	9239
TD	9320	9395	9335	9477	9325	9370	9310	9442
ANTICIPATED BHP (PSI)			509	97	509	91	508	33

	CWU 1584-25D CWU 1585-25D					
FORMATION	TVD	MD	TVD	MD		
Green River	1513	1525	1523	1540		
Birdsnest	1715	1730	1722	1744		
Mahogany Oil Shale Bed	2271	2294	2261	2295		
Wasatch	4609	4640	4595	4646		
Chapita Wells	5201	5231	5188	5238		
Buck Canyon	5876	5906	5874	5924		
North Horn	6555	6586	6533	6583		
KMV Price River	6885	6916	6859	6909		
KMV Price River Middle	7772	7803	7751	7802		
KMV Price River Lower	8575	8606	8554	8605		
Sego	9088	9118	9071	9122		
TD	9290	9321	9275	9326		
ANTICIPATED BHP (PSI)	50	72	50	64		

- 1. Fresh Waters may exist in the upper, approximately 1,000 ft \pm of the Green River Formation, with top at about 1,500 ft \pm .
- 2. Cement to be installed to surface of the well isolating all zones.



<u>DRILLING PLAN</u> MULTI-WELL PAD:

CWU 1580-25D, CWU 1581-25D, CWU 1582-25D, CWU 1583-25D, CWU 1584-25D, CWU 1585-25D

SW/NW, SEC. 25, T9S, R22E, S.L.B.&M.. UINTAH COUNTY, UTAH

3. PRESSURE CONTROL EQUIPMENT:

Production Hole – 5000 Psig BOP schematic diagrams attached.

4. CASING PROGRAM:

Casing	Hole Size	Length	Size	Weight	Grade	Thread	Rating Collapse	Rating Burst	Tensile
Conductor	20"	0 – 60'	14"	32.5#	A252			1800 PSI	10,000#
Surface	12 1⁄4"	0 – 2,250'± MD	9 %"	36.0#	J-55	STC	2020 PSI	3520 PSI	394,000#
Production	7 7/8"	Surface – MTD	4 1/2"	11.6#	N-80	LTC	6350 PSI	7780 PSI	223,000#

Note: 12 1/4" surface hole will be drilled to a total depth of 200'± below the base of the Green River lost circulation zone and cased w/9-5/4" as shown to that depth. Drilled depth may be shallower or deeper than the 2250' MD shown above depending on the actual depth of the loss zone.

All casing will be new or inspected.

5. FLOAT EQUIPMENT:

Surface Casing (0'- ±2250' MD):

Guide Shoe

Insert Float Collar (PDC drillable)

Centralizers: 1 in middle of shoe joint, then top of every joint for next 7 joints, 2 at KOP. (10 total)

<u>Production Casing (0' – MTD):</u>

Float shoe, 1 joint casing, float collar and balance of casing to surface. 4-½", 11.6#, N-80 or equivalent marker collars or short casing joints to be placed at top of Price River and 400' above top of Wasatch. Turbulizers to be placed 5' above shoe on joint #1, middle of joint #2 and #3. Centralizers starting on joint #4 and every 3rd joint to 400' above the top of primary objective. Thread lock float shoe, top and bottom of float collar, and top of 2nd joint.



DRILLING PLAN MULTI-WELL PAD: CWU 1580-25D, CWU 1581-25D, CWU 1582-25D, CWU 1583-25D, CWU 1584-25D, CWU 1585-25D

SW/NW, SEC. 25, T9S, R22E, S.L.B.&M.. UINTAH COUNTY, UTAH

6. MUD PROGRAM

Surface Hole Procedure (Surface - 2250'± MD):

Air/Air mist/Aerated water* (*A standby water source will be available at all times to act as a kill medium when conducting air drilling operations)

or

A closed-loop system utilizing a gelled bentonite mud will be employed. LCM sweeps, additions, etc. will be used as necessary.

Production Hole Procedure (2250'± - MTD):

Anticipated mud weight 9.5-10.5 ppg depending on actual wellbore conditions encountered while drilling.

A closed mud system will be utilized. A bentonite gelled water mud system will be used to control viscosity w/PHPA polymer used for supplemental viscosity and clay encapsulation/inhibition. Water loss will be maintained at <15cc's using white starch or PAC. Bactericides will be used as needed. Anticipated pH will range from 9.0-10.0. Mud weight will be adjusted as necessary for well control. Deflocculants/thinners will be used as necessary to maintain mud quality. LCM sweeps will be utilized as necessary to control lost circulation and mud loss. CO2 contamination, if encountered, will be treated with lime and gypsum.

7. VARIANCE REQUESTS:

Reference: Onshore Oil and Gas Order No. 1
Onshore Oil and Gas Order No. 2 – Section E: Special Drilling Operations

- EOG Resources, Inc. requests a variance to regulations requiring a straight run blooie line to be 100' in length. (Where possible, a straight run blooie line will be used).
- EOG Resources, Inc. requests a variance to regulations requiring the blooie line to be 100' in length. To reduce location excavation, the blooie line will be approximately 75' in length.
- EOG Resources, Inc. requests a variance to regulations, during air drilling operations only, requiring dedusting equipment. Dust during air drilling operations is controlled by water mist.
- o EOG Resources, Inc. requests a variance to regulations, during air drilling operations only, requiring an automatic igniter or continuous pilot light on the blooie line. (Not required on aerated water system).



DRILLING PLAN MULTI-WELL PAD:

CWU 1580-25D, CWU 1581-25D, CWU 1582-25D, CWU 1583-25D, CWU 1584-25D, CWU 1585-25D

SW/NW, SEC. 25, T9S, R22E, S.L.B.&M.. UINTAH COUNTY, UTAH

 EOG Resources, Inc. requests a variance that compressors are located in the opposite direction from the blooie line a minimum of 100 feet from the well bore. (Air Compressors are rig mounted).

8. EVALUATION PROGRAM:

Open-hole Logs: None

Cased-hole Logs: Cased-hole logs will be run in lieu of open-hole logs consisting of the following:

Cement Bond / Casing Collar Locator and Gamma Ray

9. CEMENT PROGRAM:

Surface Casing (0'- ±2250' MD):

Lead: Lead volume to be calculated to bring cement from 500' above casing shoe to surface. Lead cement will be:

135 sx. HES VariCem (Type III) + 2% Cal-Seal (Thixotropic Additive) + 0.3% Versaset

(Thixotropic Additive) + 2% Econolite (Light Weight Additive), mixed at 10.5 ppg,

4.10 cfps, 26.88 gps fresh water

Tail: Tail volume to be calculated to bring cement 500' above casing shoe. Tail cement will be:

135 sx. HES HalCem (Type V) + 2% CaCl₂ (Accelerator), mixed at 15.6 ppg, 1.18 cfps, 5.05 gps

fresh water

Top Out: As necessary with:

HES HalCem (Type V) + 2% CaCl₂ (Accelerator), mixed at 15.6 ppg, 1.18 cfps, 5.05 gps

fresh water

Note: The above number of sacks are calculated based on gauge hole. Final field cement volumes will be based on gauge hole plus 70% excess on the lead slurry and gauge hole plus 100% excess on the tail slurry.



DRILLING PLAN MULTI-WELL PAD:

CWU 1580-25D, CWU 1581-25D, CWU 1582-25D, CWU 1583-25D, CWU 1584-25D, CWU 1585-25D

SW/NW, SEC. 25, T9S, R22E, S.L.B.&M.. UINTAH COUNTY, UTAH

Production Casing (0' – MTD):

Lead: Lead volume to be calculated to bring cement from 400' above top of Wasatch Formation to 200'± above 9 5/8" surface casing shoe @ ±2250' MD. For improved mud displacement, lead slurry weight will be a minimum of 0.5 ppg over mud weight utilized at well MTD and vary from 11.0 – 13.0 ppg.

If lead slurry weight required is 11.0 ppg – 12.5 ppg, cement will be:

HES Highbond 75 (75/25 Poz/G) + 6% Bentonite (Extender) + 0.3% Versaset (Thixotropic Additive) + 2% Microbond (Expansion Additive)

Calculated sacks with corresponding mixed slurry weights, yields and water requirements for above cement will be as follows:

- 210 sx. if 11.0 ppg, 2.52 cfps, 14.96 gps fresh water
- 250 sx. if 11.5 ppg, 2.12 cfps, 11.98 gps fresh water
- 290 sx. if 12.0 ppg, 1.83 cfps, 9.82 gps fresh water
- 330 sx. if 12.5 ppg, 1.61 cfps, 8.17 gps fresh water

If lead slurry weight required is 13.0 ppg, cement will be:

325 sx. HES ExtendaCem (50/50 Poz/G) + 0.125 pps Pol-E-Flake (Lost Circulation Additive), mixed at 13.0 ppg, 1.63 cfps, 8.16 gps fresh water

Tail: Tail volume to be calculated to bring cement from MTD to 400' above top of Wasatch Formation. Tail cement will be:

810 sx. HES ExtendaCem (50/50 Poz/G) + 0.125 pps Pol-E-Flake (Lost Circulation Additive), mixed at 13.5 ppg, 1.47 cfps, 6.98 gps fresh water

Note: The above number of sacks in all cases are calculated based on gauge hole. Final field cement volumes will be based on gauge hole plus 50% excess on the lead slurry and gauge hole plus 70% excess on the tail slurry.

10. ABNORMAL CONDITIONS:

Surface Hole (Surface - 2250'± MD):

Lost circulation

Production Hole (2250'± - MTD):

Sloughing shales, lost circulation and key seat development are possible in the Wasatch Formation.



DRILLING PLAN MULTI-WELL PAD: CWU 1580-25D, CWU 1581-25D, CWU 1582-25D, CWU 1583-25D, CWU 1584-25D, CWU 1585-25D SW/NW, SEC. 25, T9S, R22E, S.L.B.&M..

UINTAH COUNTY, UTAH

11. STANDARD REQUIRED EQUIPMENT:

- A. Choke Manifold
- B. Upper and Lower Kelly Cock
- C. Stabbing Valve
- D. Visual Mud Monitoring


12. <u>HAZARDOUS CHEMICALS:</u>

No chemicals subject to reporting under SARA title III in an amount equal to or greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling of this well. Furthermore, no extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will be used, produced, stored, transported, or disposed of in association with the drilling of this well.


13. Air Drilling Operations:


- 1. Main Air Compressors are 1250 CFM 350 psi with 2000 psi Boosters and are rig mounted.
- 2. Secondary Air Compressors are 1170 CFM 350 psi with 2000 psi Boosters and are rig mounted.
- 3. Minimum setting depth of conductor casing will be 60' GL or 10'± into competent formation, whichever is deeper, as determined by the EOG person in charge. Exceptions must be approved by an EOG drilling superintendent or manager.
- 4. The diameter of the diverter flow line will be a minimum of 10" to help reduce back pressure on the well bore during uncontrolled flow.
- 5. Rat and Mouse hole drilling will occur only after surface casing has been set and cemented.
- 6. EOG Resources, Inc. will use a properly maintained and lubricated stripper head.


(Attachment: BOP Schematic Diagram)




RECEIVED: November 03, 2011









Denver Division - Utah

T9S-R22E Sec 25 CWU 1580-1585-25D (CWU 897-25, CWU 495-25N_Set 18) 1580-25D

Wellbore #1

Plan: APD Plan

Standard Planning Report

21 September, 2011

EOG Resources Inc

Planning Report

Database: Company:

EDM

Denver Division - Utah

Project:

T9S-R22E Sec 25

Site:

Design:

CWU 1580-1585-25D (CWU 897-25, CWU

495-25N_Set 18)

Well: Wellbore:

Wellbore #1 APD Plan

1580-25D

Local Co-ordinate Reference:

Survey Calculation Method:

TVD Reference:

MD Reference:

North Reference:

Well 1580-25D

RIG @ 5097.00ft (TRUE 34 KB=19') RIG @ 5097.00ft (TRUE 34 KB=19')

Minimum Curvature

T9S-R22E Sec 25 **Project**

Map System:

US State Plane 1927 (Exact solution)

NAD 1927 (NADCON CONUS) Geo Datum:

Utah North 4301 Map Zone:

System Datum:

Mean Sea Level

Site Position:

Lat/Long

Northing: Easting:

CWU 1580-1585-25D (CWU 897-25, CWU 495-25N_Set 18)

-111,180.43ft 2,590,354.15ft

Latitude: Longitude: 40° 0' 30.708 N

109° 23' 34.098 W

Position Uncertainty:

0.00 ft

Slot Radius:

Grid Convergence:

1.39 deg

Well

From:

Site

1580-25D, PUD X855

+N/-S +E/-W -26.98 ft -4.76 ft Northing: Easting:

-111,207.51 ft 2,590,350.04 ft Latitude: Longitude:

40° 0' 30.441 N 109° 23' 34.159 W

Position Uncertainty

Well Position

0.00 ft

Wellhead Elevation:

ft

Ground Level:

5,078.00 ft

Wellbore

Wellbore #1

APD Plan

Magnetics	Model Name	Sample Date	Declination (deg)	Dip Angle (deg)	Field Strength (nT)
	IGRF200510	12/31/2009	11.20	65.94	52,523

Design

Audit Notes:

Version:

Vertical Section: Depth From (TVD)

Phase:

(ft)

0.00

PROTOTYPE +N/-S (ft)

0.00

Tie On Depth: +E/-W (ft)

0.00

0.00 Direction

(deg) 287.50

Plan Sections	s									
Measured Depth (ft)	Inclination (deg)	Azimuth (deg)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Dogleg Rate (?/100ft)	Build Rate (?/100ft)	Turn Rate (?/100ft)	TFO (deg)	Target
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
400.00	0.00	0.00	400.00	0.00	0.00	0.00	0.00	0.00	0.00	
1,400.00	15.00	287.50	1,388.62	39.13	-124.13	1.50	1.50	0.00	287.50	
2,760.31	15.00	287.50	2,702.58	144.99	-459.91	0.00	0.00	0.00	0.00	
4,260.32	0.00	0.00	4,185.50	203.69	-646.11	1.00	-1.00	0.00	180.00	
9,394.81	0.00	0.00	9,320.00	203.69	-646.11	0.00	0.00	0.00	0.00	CWU 1580-25D

EOG Resources Inc

Planning Report

Database: EDM Company:

Denver Division - Utah

Project:

Well:

T9S-R22E Sec 25

Site:

CWU 1580-1585-25D (CWU 897-25, CWU

495-25N_Set 18)

1580-25D Wellbore #1 Wellbore: Design: APD Plan

Local Co-ordinate Reference:

TVD Reference: MD Reference:

North Reference:

Survey Calculation Method:

Well 1580-25D

RIG @ 5097.00ft (TRUE 34 KB=19')

RIG @ 5097.00ft (TRUE 34 KB=19')

Minimum Curvature

Design:	APD Flair								
Planned Survey									
Measured Depth (ft)	Inclination (deg)	Azimuth (deg)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (?/100ft)	Build Rate (?/100ft)	Turn Rate (?/100ft)
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
100.00	0.00	0.00	100.00	0.00	0.00	0.00	0.00	0.00	0.00
200.00	0.00	0.00	200.00	0.00	0.00	0.00	0.00	0.00	0.00
300.00	0.00	0.00	300.00	0.00	0.00	0.00	0.00	0.00	0.00
400.00	0.00	0.00	400.00	0.00	0.00	0.00	0.00	0.00	0.00
500.00	1.50	287.50	499.99	0.39	-1.25	1.31	1.50	1.50	0.00
600.00	3.00	287.50	599.91	1.57	-4.99	5.23	1.50	1.50	0.00
700.00	4.50	287.50	699.69	3.54	-11.23	11.77	1.50	1.50	0.00
800.00	6.00	287.50	799.27	6.29	-19.96	20.92	1.50	1.50	0.00
900.00	7.50	287.50	898.57	9.83	-31.17	32.68	1.50	1.50	0.00
1,000.00	9.00	287.50	997.54	14.14	-44.85	47.03	1.50	1.50	0.00
1,100.00	10.50	287.50	1,096.09	19.23	-61.00	63.96	1.50	1.50	0.00
1,200.00	12.00	287.50	1,194.16	25.10	-79.61	83.47	1.50	1.50	0.00
1,300.00	13.50	287.50	1,291.70	31.73	-100.66	105.54	1.50	1.50	0.00
1,400.00	15.00	287.50	1,388.62	39.13	-124.13	130.15	1.50	1.50	0.00
1,500.00	15.00	287.50	1,485.21	46.92	-148.82	156.04	0.00	0.00	0.00
1,600.00	15.00	287.50	1,581.80	54.70	-173.50	181.92	0.00	0.00	0.00
1,700.00	15.00	287.50	1,678.39	62.48	-198.18	207.80	0.00	0.00	0.00
1,800.00	15.00	287.50	1,774.99	70.26	-222.87	233.68	0.00	0.00	0.00
1,900.00	15.00	287.50	1,871.58	78.04	-247.55	259.56	0.00	0.00	0.00
2,000.00	15.00	287.50	1,968.17	85.83	-272.24	285.44	0.00	0.00	0.00
2,100.00	15.00	287.50	2,064.76	93.61	-296.92	311.33	0.00	0.00	0.00
2,200.00	15.00	287.50	2,161.36	101.39	-321.61	337.21	0.00	0.00	0.00
2,300.00	15.00	287.50	2,257.95	109.17	-346.29	363.09	0.00	0.00	0.00
2,400.00	15.00	287.50	2,354.54	116.95	-370.97	388.97	0.00	0.00	0.00
2,500.00	15.00	287.50	2,451.13	124.74	-395.66	414.85	0.00	0.00	0.00
2,600.00	15.00	287.50	2,547.73	132.52	-420.34	440.74	0.00	0.00	0.00
2,700.00	15.00	287.50	2,644.32	140.30	-445.03	466.62	0.00	0.00	0.00
2,760.31	15.00	287.50	2,702.58	144.99	-459.91	482.23	0.00	0.00	0.00
2,800.00	14.60	287.50	2,740.95	148.04	-469.58	492.37	1.00	-1.00	0.00
2,900.00	13.60	287.50	2,837.93	155.37	-492.82	516.73	1.00	-1.00	0.00
3,000.00	12.60	287.50	2,935.33	162.18	-514.44	539.40	1.00	-1.00	0.00
3,100.00	11.60	287.50	3,033.10	168.49	-534.44	560.37	1.00	-1.00	0.00
3,200.00	10.60	287.50	3,131.23	174.28	-552.81	579.63	1.00	-1.00	0.00
3,300.00	9.60	287.50	3,229.68	179.55	-569.54	597.17	1.00	-1.00	0.00
3,400.00	8.60	287.50	3,328.42	184.31	-584.63	612.99	1.00	-1.00	0.00
3,500.00	7.60	287.50	3,427.42	188.55	-598.07	627.09	1.00	-1.00	0.00
3,600.00	6.60	287.50	3,526.65	192.27	-609.86	639.45	1.00	-1.00	0.00
3,700.00	5.60	287.50	3,626.08	195.46	-620.00	650.08	1.00	-1.00	0.00
3,800.00	4.60	287.50	3,725.68	198.14	-628.49	658.98	1.00	-1.00	0.00
3,900.00	3.60	287.50	3,825.43	200.29	-635.31	666.13	1.00	-1.00	0.00
4,000.00	2.60	287.50	3,925.28	201.92	-640.47	671.55	1.00	-1.00	0.00
4,100.00	1.60	287.50	4,025.21	203.02	-643.97	675.22	1.00	-1.00	0.00
4,200.00	0.60	287.50	4,125.19	203.60	-645.81	677.14	1.00	-1.00	0.00
4,260.32	0.00	0.00	4,185.50	203.69	-646.11	677.46	1.00	-1.00	0.00
4,300.00 4,400.00 4,500.00 4,600.00 4,700.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	4,225.19 4,325.19 4,425.19 4,525.19 4,625.19	203.69 203.69 203.69 203.69 203.69	-646.11 -646.11 -646.11 -646.11	677.46 677.46 677.46 677.46	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00
4,800.00	0.00	0.00	4,725.19	203.69	-646.11	677.46	0.00	0.00	0.00
4,900.00	0.00	0.00	4,825.19	203.69	-646.11	677.46	0.00	0.00	0.00
5,000.00	0.00	0.00	4,925.19	203.69	-646.11	677.46	0.00	0.00	0.00

EOG Resources Inc

Planning Report

Database: EDM

Denver Division - Utah Company: T9S-R22E Sec 25

Project: Site:

CWU 1580-1585-25D (CWU 897-25, CWU

495-25N_Set 18)

Well: 1580-25D Wellbore #1 Wellbore: Design: APD Plan

Local Co-ordinate Reference:

TVD Reference: MD Reference:

North Reference:

Survey Calculation Method:

Well 1580-25D

RIG @ 5097.00ft (TRUE 34 KB=19') RIG @ 5097.00ft (TRUE 34 KB=19')

Minimum Curvature

esign:	APD Plan								
lanned Survey									
Measured Depth (ft)	Inclination (deg)	Azimuth (deg)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (?/100ft)	Build Rate (?/100ft)	Turn Rate (?/100ft)
5,100.00 5,200.00	0.00 0.00	0.00 0.00	5,025.19 5,125.19	203.69 203.69	-646.11 -646.11	677.46 677.46	0.00 0.00	0.00 0.00	0.00 0.00
5,300.00 5,400.00 5,500.00 5,600.00 5,700.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	5,225.19 5,325.19 5,425.19 5,525.19 5,625.19	203.69 203.69 203.69 203.69 203.69	-646.11 -646.11 -646.11 -646.11	677.46 677.46 677.46 677.46	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00
5,800.00 5,900.00 6,000.00 6,100.00 6,200.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	5,725.19 5,825.19 5,925.19 6,025.19 6,125.19	203.69 203.69 203.69 203.69 203.69	-646.11 -646.11 -646.11 -646.11	677.46 677.46 677.46 677.46 677.46	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00
6,300.00 6,400.00 6,500.00 6,600.00 6,700.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	6,225.19 6,325.19 6,425.19 6,525.19 6,625.19	203.69 203.69 203.69 203.69 203.69	-646.11 -646.11 -646.11 -646.11	677.46 677.46 677.46 677.46 677.46	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00
6,800.00 6,900.00 7,000.00 7,100.00 7,200.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	6,725.19 6,825.19 6,925.19 7,025.19 7,125.19	203.69 203.69 203.69 203.69 203.69	-646.11 -646.11 -646.11 -646.11	677.46 677.46 677.46 677.46 677.46	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00
7,300.00 7,400.00 7,500.00 7,600.00 7,700.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	7,225.19 7,325.19 7,425.19 7,525.19 7,625.19	203.69 203.69 203.69 203.69 203.69	-646.11 -646.11 -646.11 -646.11	677.46 677.46 677.46 677.46 677.46	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00
7,800.00 7,900.00 8,000.00 8,100.00 8,200.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	7,725.19 7,825.19 7,925.19 8,025.19 8,125.19	203.69 203.69 203.69 203.69 203.69	-646.11 -646.11 -646.11 -646.11	677.46 677.46 677.46 677.46 677.46	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00
8,300.00 8,400.00 8,500.00 8,600.00 8,700.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	8,225.19 8,325.19 8,425.19 8,525.19 8,625.19	203.69 203.69 203.69 203.69 203.69	-646.11 -646.11 -646.11 -646.11	677.46 677.46 677.46 677.46 677.46	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00
8,800.00 8,900.00 9,000.00 9,100.00 9,200.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	8,725.19 8,825.19 8,925.19 9,025.19 9,125.19	203.69 203.69 203.69 203.69 203.69	-646.11 -646.11 -646.11 -646.11	677.46 677.46 677.46 677.46 677.46	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00	0.00 0.00 0.00 0.00 0.00
9,300.00 9,394.81 CWU 1580-	0.00 0.00	0.00 0.00	9,225.19 9,320.00	203.69 203.69	-646.11 -646.11	677.46 677.46	0.00 0.00	0.00 0.00	0.00 0.00

EOG Resources Inc

Planning Report

EDM Database:

Company: Denver Division - Utah

Project: T9S-R22E Sec 25

CWU 1580-1585-25D (CWU 897-25, CWU Site:

495-25N_Set 18)

Well: 1580-25D Wellbore: Wellbore #1 Design: APD Plan

Local Co-ordinate Reference:

TVD Reference: MD Reference:

North Reference:

RIG @ 5097.00ft (TRUE 34 KB=19') RIG @ 5097.00ft (TRUE 34 KB=19')

Well 1580-25D

Survey Calculation Method: Minimum Curvature

Design Targets

Target Name

- hit/miss target TVD +N/-S +E/-W Northing Dip Angle Dip Dir. **Easting** - Shape (deg) (deg) (ft) (ft) (ft) (ft) (ft) Longitude Latitude CWU 1580-25D 0.00 0.00 9,320.00 203.69 -646.11 -111,019.54 2,589,699.18 40° 0' 32.454 N 109° 23' 42.461 W

plan hits target centerCircle (radius 50.00)



Chapita Wells Unit 1580-25D, 1581-25D, 1582-25D, 1583-25D, 1584-25D, 1585-25D SW/NW, Section 25, T9S, R22E Uintah County, Utah

SURFACE USE PLAN

The well pad is approximately 400 feet long with a 245-foot width, containing 2.25 acres more or less. New surface disturbance associated with the well pad is estimated to be approximately 2.26 acres.

1. EXISTING ROADS:

- A. See attached Plats showing directional reference stakes on location, and attached TOPO Map "B" showing access to location from existing roads.
- B. The proposed well site is located approximately 51.3 miles south of Vernal, Utah See attached TOPO Map "A".
- C. Refer to attached Topographic Map "A" showing labeled access route to location.
- D. Existing roads will be maintained and repaired as necessary.

2. PLANNED ACCESS ROAD:

- A. No new access road will be required; existing access road for the Chapita Wells Unit 897-25 and Chapita Wells Unit 495-25 will be utilized. See attached Topo B.
- B. No turnouts will be required.
- C. No bridges, or major cuts and fills will be required.
- D. No gates, cattleguards, or fences will be required or encountered.
- E. No additional storage areas will be needed for storing equipment, stockpiling, or vehicle parking.

All travel will be confined to existing access road rights-of-way.

New or reconstructed roads will be centerlined – flagged at time of location staking.

Access roads and surface disturbing activities will conform to standards outlined in the Bureau of Land Management and Forest Service publication: Surface Operating Standards

Chapita Wells Unit 1580-25D, 1581-25D, 1582-25D, 1583-25D, 1584-25D, 1585-25D Surface Use Plan

Page 2

for Oil and Gas Exploration and Development, Fourth Edition and/or BLM Manual Section 9113 concerning road construction standards on projects subject to federal jurisdiction.

The road shall be constructed/upgraded to meet the standards of the anticipated traffic flow and all-weather road requirements. Construction/upgrading shall include ditching, draining, graveling, crowning, and capping the roadbed as necessary to provide a well-constructed, safe road. Prior to upgrading, the road shall be cleared of any snow cover and allowed to dry completely. Traveling off the 30-foot right-of-way will not be allowed. Road drainage crossings shall be of the typical dry creek drainage crossing type. Crossings shall be designed so they will not cause siltation or accumulation of debris in the drainage crossing nor shall the roadbed block the drainages. Erosion of drainage ditches by runoff water shall be prevented by diverting water off at frequent intervals by means of cutouts. Upgrading shall not be allowed during muddy conditions. Should mud holes develop, they shall be filled in and detours around then avoided.

As operator, EOG Resources, Inc. shall be responsible for all maintenance on cattleguards, or gates associated with this oil and/or gas operation.

Traveling off the 30-foot right-of-way will not be allowed. The access road and associated drainage structures will be constructed and maintained in accordance with road guidelines contained in the joint BLM/USFS publication: Surface Operating Standards for Oil and Gas Exploration and Development, Fourth Edition, and/or BLM Manual Section 9113 concerning road construction standards on projects subject to federal jurisdiction. During the drilling and production phase of operations, the road surface and shoulders will be kept in a safe and useable condition and drainage ditches and culverts will be kept clear and free flowing.

3. LOCATION OF EXISTING WELLS WITHIN A ONE-MILE RADIUS:

See attached TOPO map "C" for the location of wells within a one-mile radius.

4. LOCATION OF EXISTING AND/OR PROPOSED PRODUCTION FACILITIES:

A. On Well Pad

- 1. Production facilities will be set on location if the well is successfully completed for production. Facilities will consist of wellhead valves, combo separator-dehy unit with meter, four to six (4-6) 400-bbl vertical tanks and attaching piping.
- 2. Gas gathering lines A 4" gathering line will be buried from dehy to the edge of the location.

B. Off Well Pad

- 1. Proposed pipeline will transport natural gas.
- 2. The pipeline will be a permanent feeder line.
- 3. No off well pad pipeline will be required. The existing pipeline for producing Chapita Wells Unit 897-25 and Chapita Wells Unit 495-25 will be used.

- 4. Proposed pipeline will be a 4" OD steel, zap-lok line laid on the surface
- 5. Proposed pipeline will be laid on surface.
- 6. Pipeline will be coupled using the Zap lock method. No additional off-pad facilities will be required.

Containment berms will be constructed completely around production facilities designed to hold fluids (i.e., production tanks, produced water tanks, and/or heater/treater). The containment berms will be constructed of compacted subsoil, be sufficiently impervious, hold 110 percent of the capacity of the largest tank, and be independent of the back cut.

All permanent (on site for six months or longer) structures constructed or installed (including pumping units) will be painted a flat, non-reflective, earthtone color to match one of the standard environmental colors, as determined by the Rocky Mountain Five State Interagency Committee. All facilities will be painted within 6 months of installation. All facilities will be painted with Carlsbad Canyon. Facilities required to comply with O.S.H.A. (Occupational Safety and Health Act) will be excluded.

5. LOCATION AND TYPE OF WATER SUPPLY:

- A. Water supply will be from Ouray Municipal Water Plant at Ouray, Utah, and/or Bonanza Power Plant water source in Sec 26, T8S, R23E, Uintah County, UT (State Water Right # 49-225(A31368)). Water will be hauled by a licensed trucking company.
- B. Water will be hauled by a licensed trucking company.
- C. No water well will be drilled on lease.

6. Source of Construction Materials:

- A. All construction material for this pipeline will be of native borrow and soil accumulated during the construction of the location.
- B. No mineral materials will be required.

7. METHODS OF HANDLING WASTE DISPOSAL:

A. METHODS AND LOCATION

- 1. Cuttings will be confined and dried in a cuttings pit. Dried cuttings shall be spread on the access road.
- 2. A portable toilet will be provided for human waste during the drilling and completion of the well. Disposal will be at the Vernal sewage disposal plant.
- 3. Burning will not be allowed. Trash and other waste material will be contained in a wire mesh cage and disposed of at the Uintah County Landfill.
- 4. Produced wastewater will be confined to a storage tank for a period not to exceed 90 days after initial production. After the 90 day period, the produced water will be contained in a tank on location and then disposed of at one of the following locations: Natural Buttes Unit 21-20B SWD, Ace Disposal, CWU 550-30N SWD CWU 2-29 SWD, Red Wash Evaporation Ponds 1, 2, 3, 4, 5, 6, or 7, or Coyote Evaporation Ponds 1, 2, 3, or 4, or White River Evaporation ponds 1, or 2, or Hoss SWD Facility: right-of-way UTU 86010, and UTU 897093, or EOG Resources, Inc. drilling operations (Chapita Wells Unit, Natural Buttes Unit & Stagecoach Unit).
- 5. All chemicals will be disposed of at an authorized disposal site. Drip pans and absorbent pads will be used on the drilling rig to avoid leakage of oil to the pit.
- B. Water from drilling fluids and recovered during testing operations will be disposed of by either natural or artificial evaporation methods, or removed and disposed of at an authorized disposal site. Introduction of well bore hydrocarbons to the closed loop system will be avoided by flaring them off in the flare pit at the time of recovery.

The referenced well will be drilled utilizing a closed loop system. The closed loop system will be installed in a manner that prevents leaks, breaks, or discharge. Drill cutting will be contained in an area approximately 50' x 100'. The surface drill cuttings pile will be bermed and lined with bentonite. Drill cuttings will be dried and spread on the location and access road. More stringent protective requirements may be deemed necessary by the A.O.

EOG Resources, Inc. maintains a file, per 29 CFR 1910.1200 (g) containing current Material Safety Data Sheets (MSDS) for all chemicals, compounds, and/or substances which are used during the course of construction, drilling, completion, and production operations for this project. Hazardous materials (substances) which may be found at the site may include drilling mud and cementing products which are primarily inhalation hazards, fuels (flammable and/or combustible), materials that may be necessary for well completion/stimulation activities such as flammable or combustible substances and acids/gels (corrosives). The opportunity for Superfund Amendments and Reauthorization Act (SARA) listed Extremely Hazardous Substances (EHS) at the site is generally limited to proprietary treating chemicals. All hazardous and EHS and

Chapita Wells Unit 1580-25D, 1581-25D, 1582-25D, 1583-25D, 1584-25D, 1585-25D Surface Use Plan

Page 5

commercial preparations will be handled in an appropriate manner to minimize the potential for leaks or spills to the environment.

No chemicals subject to reporting under SARA Title III (hazardous materials) in an amount greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling, testing, or completion of the well. Furthermore, extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will not be used, produced, stored, transported, or disposed of in association with the drilling, testing, or completion of the well.

8. Ancillary Facilities:

None anticipated.

9. WELL SITE LAYOUT:

- A. Refer to attached well site plat for related topography cuts and fills and cross sections.
- B. Refer to attached well site plat for rig layout and soil material stockpile location as approved on On-site.
- C. Refer to attached well site plat for rig orientation, parking areas, and access road.

The proposed location will be drilled utilizing a closed loop system.

The stockpiled location topsoil will be stored in a location providing easy access for interim reclamation and protection of the topsoil. Upon completion of construction, the stockpiled topsoil from the location will be seeded with the approved seed mixture from this.

Access to the well pad will be from the South.

The Northwest and southwest corners of the well pad will be rounded off to minimize excavation.

10. PLANS FOR RECLAMATION OF THE SURFACE:

A. Interim Reclamation (Producing Location)

Immediately upon well completion, the location and surrounding area will be cleared of all unused tubing, equipment, debris, materials, trash, and junk not required for production.

Immediately upon well completion, any hydrocarbons on the pit shall be removed in accordance with CFR 3162.7-1.

If a plastic nylon reinforced liner is used, it shall be torn and perforated before backfilling of the reserve pit.

The portion of the location not needed for production facilities/operations will be reclaimed – See attached Figure #3.

The stockpiled topsoil will then be spread over closed loop area (See Figure #4) and broadcast seeded with the prescribed seed mixture for this location as authorized within EOG's reclamation plan filed September 29, 2009.

B. Dry Hole/Abandoned Location

At such time as the well is plugged and abandoned, the operator will submit a subsequent report of abandonment and the BLM will attach the appropriate surface rehabilitation conditions of approval.

11. SURFACE OWNERSHIP:

Surface ownership of the proposed well site, access road, and pipeline route is as follows:

Bureau of Land Management

12. OTHER INFORMATION:

- A. EOG Resources, Inc. will inform all persons in the area who are associated with this project that they are subject to prosecution for knowingly disturbing historic or archaeological sites, or for collecting artifacts. If historic or archaeological materials are uncovered during construction, the operator will immediately stop work that might further disturb such materials, and contact the Authorized Officer. Within five working days the Authorized Officer will inform the operator as to:
 - Whether the materials appear eligible for the National Register of Historic Places;
 - The mitigation measures the operator will likely have to undertake before the site can be used.

 A time frame for the Authorized Officer to complete an expedited review under 36 CFR 800.11 to confirm, through the State Historic Preservation Officer, that the findings of the Authorized Officer are correct and that mitigation is appropriate.

If the operator wished, at any time, to relocate activities to avoid the expense of mitigation and/or the delays associated with this process, the Authorized Officer will assume responsibility for whatever recordation and stabilization of the exposed materials that may be required. Otherwise, the operator will be responsible for mitigation costs. The Authorized Officer will provide technical and procedural guidelines for the conduct of mitigation. Upon verification from the Authorized Officer that required mitigation has been completed, the operator will then be allowed to resume construction.

- B. As operator, EOG Resources, Inc. will control noxious weeds along Right-of-Ways for roads, pipelines, well sites, or other applicable facilities. A list of noxious weeds will be obtained from the BLM administered land, a Pesticide Use proposal shall be submitted, and given approval, prior to the application or herbicides or other pesticides or possible hazardous chemicals.
- C. Drilling rigs and/or equipment used during drilling operations on this well site will not be stacked or stored on BLM lands after the conclusion of drilling operations or at any other time without BLM authorization. However, if BLM authorization is obtained, it is only a temporary measure to allow time to make arrangements for permanent storage on commercial facilities. (The BLM does not seek to compete with private industry. There are commercial facilities available for stacking and storing drilling rigs.)
- D. The drilling rig and ancillary equipment will be removed from the location prior to commencement of completion operations. Completion operations will be conducted utilizing a completion/workover rig.

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved Plan of Operations, and any applicable Notice of Lessees. The operator is fully responsible for the actions of its subcontractors. A complete copy of the approved "Application for Permit to Drill" will be furnished to the field representative(s) to ensure compliance and shall be on location during all construction and drilling operations.

Construction activity will not be conducted using frozen or saturated soils material or during periods when watershed damage is likely to occur.

If the existing access road, proposed access road, and proposed pad are dry during construction, drilling, and completion activities, water will be applied, as needed, to help facilitate compaction during construction and to minimize soil loss as a result of wind erosion.

A block cultural resources survey was conducted and submitted by Montgomery Archaeological Consultants, State of Utah Antiquities Permit No. U-07-MQ-0200b, on April 14, 2007. A paleontological survey was conducted and submitted by Intermountain Paleo,

Chapita Wells Unit 1580-25D, 1581-25D, 1582-25D, 1583-25D, 1584-25D, 1585-25D Surface Use Plan

Page 8

IPC Report # 11-121, on August 25, 2011. A Uintah Basin Hookless Cactus (Sclearochactus Wetlandicus) survey was conducted and will be submitted by Graslands.

Additional Surface Stipulations:

None

Chapita Wells Unit 1580-25D, 1581-25D, 1582-25D, 1583-25D, 1584-25D, 1585-25D Surface Use Plan

Page 9

LESSEE OR OPERATOR'S REPRESENTATIVE AND CERTIFICATION:

PERMITTING AGENT

Nanette Lupcho EOG Resources, Inc. 1060 East Highway 40 Vernal, UT 84078 (435) 781-9111

All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved plan of operations, and any applicable Notice to Lessees. The operator is fully responsible for the actions of his subcontractors. A copy of these conditions will be furnished to the field representative to insure compliance.

The operator or his/her contractor shall contact the BLM office at (435) 781-4400 forty-eight (48) hours prior to construction activities.

Chapita Wells Unit 1580-25D, 1581-25D, 1582-25D, 1583-25D, 1584-25D, 1585-25D Surface Use Plan

Page 10


CERTIFICATION:

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which currently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by EOG Resources, Inc. and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

Please be advised that EOG Resources, Inc. is considered to be the operator of the Chapita Wells Unit 1580-25D, 1581-25D, 1582-25D, 1583-25D, 1584-25D, 1585-25D Wells, located in the SW/NW, of Section 25, T9S, R22E, Uintah County, Utah; Federal land and minerals; and is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. Bond Coverage is under Bond # NM 2308.

November 28, 2011	
Date	Nanette Lupcho Regulatory Assistant


Onsite Date: September 28, 2011



PAGE 1 OF 2

EOG RESOURCES CHOKE MANIFOLD CONFIGURATION W/5,000 PSI WP VALVES

PAGE 2 0F 2



VALVE

Testing Procedure:

- 1. BOP will be tested with a professional tester to conform to Onshore Order #2.
- 2. Blind and Pipe rams will be tested to rated working pressure, 5,000 psi.
- 3. Annular Preventer will be tested to 50% working pressure, 2,500 psi. Casing will be tested to 0.22 psi / ft. or 1,500 psi. Not to exceed 70% of burst strength, whichever is greater.
- 4. All lines subject to well pressure will be tested to the same pressure as blind and pipe rams.
- 5. All BOPE specifications and configurations will meet Onshore Order #2 requirements.

EOG RESOURCES, INC. CWU #1580-25D, #1581-25D,

#1582-25D, #1583-25D, #1584-25D, & #1585-25D LOCATED IN UINTAH COUNTY, UTAH




PHOTO: VIEW FROM CORNER #5 TO LOCATION STAKES

CAMERA ANGLE: SOUTHEASTERLY





PHOTO: VIEW OF EXISTING ACCESS


CAMERA ANGLE: NORTHEASTERLY




LOCATION	PHOTOS	09 month	21 DAY	10 YEAR	РНОТО
TAKEN BY: C.R.	DRAWN BY: Z.L	. REV	ISED: 0	0-00-00	










EOG RESOURCES, INC.

CWU #1580-25D, #1581-25D, #1582-25D, #1583-25D, #1584-25D, & #1585-25D SECTION 25, T9S, R22E, S.L.B.&M.

PROCEED IN A WESTERLY DIRECTION FROM VERNAL, UTAH ALONG U.S. HIGHWAY 40 APPROXIMATELY 14.0 MILES TO THE JUNCTION OF STATE HIGHWAY 88: EXIT LEFT AND PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 17.0 MILES TO OURAY, UTAH; PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 0.3 MILES ON THE SEEP RIDGE ROAD TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE EAST: TURN LEFT AND PROCEED IN AN EASTERLY DIRECTION APPROXIMATELY 12.3 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTH; TURN RIGHT AND PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 1.7 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE EAST: TURN LEFT AND PROCEED IN AN EASTERLY DIRECTION APPROXIMATELY 1.9 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTHEAST: TURN RIGHT AND PROCEED IN A SOUTHEASTERLY DIRECTION APPROXIMATELY 0.5 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE EAST; TURN LEFT AND PROCEED IN AN EASTERLY DIRECTION APPROXIMATELY 0.2 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTHWEST; TURN RIGHT AND PROCEED SOUTHWESTERLY. THEN SOUTHEASTERLY DIRECTION APPROXIMATELY 1.4 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE NORTHEAST; TURN LEFT AND PROCEED IN A NORTHEASTERLY, THEN EASTERLY, THEN SOUTHEASTERLY DIRECTION APPROXIMATELY 1.5 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTHWEST; TURN RIGHT AND PROCEED IN A SOUTHWESTERLY, THEN SOUTHERLY DIRECTION APPROXIMATELY 0.3 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTH: PROCEED IN A SOUTHERLY. THEN EASTERLY DIRECTION APPROXIMATELY 0.2 MILES TO THE PROPOSED LOCATION.

TOTAL DISTANCE FROM VERNAL, UTAH TO THE PROPOSED WELL LOCATION IS APPROXIMATELY 51.3 MILES.

RECEIVED: November 03, 2011



API Well Number: 43047521560000

United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, Utah 84145-0155

IN REPLY REFER TO: 3160 (UT-922)

November 4, 2011

Memorandum

To: Assistant District Manager Minerals, Vernal District

From: Michael Coulthard, Petroleum Engineer

Subject: 2011 Plan of Development Chapita Wells Unit

Uintah County, Utah.

Pursuant to email between Diana Whitney, Division of Oil, Gas and Mining, and Mickey Coulthard, Utah State Office, Bureau of Land Management, the following wells are planned for calendar year 2011 within the Chapita Wells Unit, Uintah County, Utah.

API# WELL NAME LOCATION

(Proposed PZ MESA VERDE)

PAD SENE 26

43-047-52134 CWU 1573-26D Sec 26 T09S R22E 1987 FNL 0341 FEL BHL Sec 26 T09S R22E 1860 FNL 1318 FEL 43-047-52135 CWU 1574-26D Sec 26 T09S R22E 1980 FNL 0335 FEL BHL Sec 26 T09S R22E 1873 FNL 0676 FEL 43-047-52136 CWU 1575-26D Sec 26 T09S R22E 1958 FNL 0315 FEL BHL Sec 26 T09S R22E 1563 FNL 0979 FEL 43-047-52137 CWU 1576-26D Sec 26 T09S R22E 1943 FNL 0301 FEL BHL Sec 26 T09S R22E 1566 FNL 0322 FEL 43-047-52138 CWU 1577-26D Sec 26 T09S R22E 1950 FNL 0308 FEL BHL Sec 25 T09S R22E 1933 FNL 0014 FWL 43-047-52139 CWU 1578-26D Sec 26 T09S R22E 1972 FNL 0328 FEL BHL Sec 26 T09S R22E 2228 FNL 0309 FEL 43-047-52140 CWU 1579-26D Sec 26 T09S R22E 1965 FNL 0321 FEL BHL Sec 26 T09S R22E 2529 FNL 0033 FEL PAD NWNE 26 43-047-52141 CWU 1567-26D Sec 26 T09S R22E 0331 FNL 2103 FEL BHL Sec 26 T09S R22E 0611 FNL 1794 FEL 43-047-52142 CWU 1568-26D Sec 26 T09S R22E 0340 FNL 2100 FEL BHL Sec 26 T09S R22E 0894 FNL 2030 FEL

Page 2

API#	WI	ELL NAME				LOC	CATION					
(Proposed PZ	MESA	A VERDE)										
PAD NWNE 26 43-047-52143	CWU					R22E R22E						
43-047-52144	CWU					R22E R22E						
43-047-52145	CWU					R22E R22E						
43-047-52146						R22E R22E						
PAD NWNE (2) 2 43-047-52147		1560-26D	Sac	26	т∩ас	D22F	1152	FNT	1692	FFI		
13 047 32147	CWO					R22E						
43-047-52148	CWU					R22E R22E						
43-047-52149	CWU					R22E R22E						
43-047-52150	CWU					R22E R22E						
43-047-52152	CWU					R22E R22E						
PAD SWNW 25												
43-047-52155	CWU					R22E R22E						
43-047-52156	CWU					R22E R22E						
43-047-52157	CWU					R22E R22E						
43-047-52158	CWU					R22E R22E						
43-047-52159	CWU					R22E R22E						
43-047-52160	CWU					R22E R22E						
This offictime.	e ha	as no ob	ject	cio	n to	perm	nitti	ing	the	wells	at	this



API Well Number: 43047521560000

Central Files Agr. Sec. Chron Fluid Chron

MCoulthard:mc:11-4-11

API Well Number: 43047521560000

WORKSHEET APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 11/3/2011 API NO. ASSIGNED: 43047521560000

WELL NAME: Chapita Wells Unit 1580-25D OPERATOR: EOG Resources, Inc. (N9550)

CONTACT: Nanette Lupcho

PROPOSED LOCATION: SWNW 25 090S 220E **Permit Tech Review:**

> SURFACE: 2125 FNL 1186 FWL **Engineering Review:**

BOTTOM: 1918 FNL 0540 FWL Geology Review:

COUNTY: UINTAH

LATITUDE: 40.00845 **LONGITUDE:** -109.39347 UTM SURF EASTINGS: 637119.00 NORTHINGS: 4429931.00

FIELD NAME: NATURAL BUTTES **LEASE TYPE:** 1 - Federal

LEASE NUMBER: UTU0285A PROPOSED PRODUCING FORMATION(S): MESA VERDE

SURFACE OWNER: 1 - Federal **COALBED METHANE: NO**

RECEIVED AND/OR REVIEWED: LOCATION AND SITING:

 PLAT R649-2-3.

Unit: CHAPITA WELLS Bond: FEDERAL - NM2308

Potash R649-3-2. General

✓ Oil Shale 190-5

Oil Shale 190-3 R649-3-3. Exception

Oil Shale 190-13 **Drilling Unit**

Board Cause No: Cause 179-08 Water Permit: 49-225

Effective Date: 8/10/1999 **RDCC Review:**

Siting: Suspends General Siting **Fee Surface Agreement**

Intent to Commingle ▼ R649-3-11. Directional Drill

Commingling Approved

Comments: Presite Completed

Stipulations:

4 - Federal Approval - dmason 15 - Directional - dmason 17 - Oil Shale 190-5(b) - dmason

PHONE NUMBER: 435 781-9157

API Well No: 43047521560000



State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

Permit To Drill

Well Name: Chapita Wells Unit 1580-25D

API Well Number: 43047521560000

Lease Number: UTU0285A **Surface Owner:** FEDERAL **Approval Date:** 11/21/2011

Issued to:

EOG Resources, Inc., 1060 East Highway 40, Vernal, UT 84078

Authority:

Pursuant to Utah Code Ann. §40-6-1 et seq., and Utah Administrative Code R649-3-1 et seq., the Utah Division of Oil, Gas and Mining issues conditions of approval, and permit to drill the listed well. This permit is issued in accordance with the requirements of Cause 179-08. The expected producing formation or pool is the MESA VERDE Formation(s), completion into any other zones will require filing a Sundry Notice (Form 9). Completion and commingling of more than one pool will require approval in accordance with R649-3-22.

Duration:

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date

General:

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

Conditions of Approval:

State approval of this well does not supercede the required federal approval, which must be obtained prior to drilling.

In accordance with Utah Admin. R.649-3-11, Directional Drilling, the operator shall submit a complete angular deviation and directional survey report to the Division within 30 days following completion of the well.

In accordance with the Order in Cause No. 190-5(b) dated October 28, 1982, the operator shall comply with the requirements of Rules R649-3-31 and R649-3-27 pertaining to Designated Oil Shale Areas. Additionally, the operators shall ensure that the surface and or production casing is properly cemented over the entire oil shale section as defined by Rule R649-3-31. The Operator shall report the actual depth the oil shale is encountered to the division.

Notification Requirements:

The operator is required to notify the Division of Oil, Gas and Mining of the following actions during drilling of this well:

• Within 24 hours following the spudding of the well – contact Carol Daniels at 801-538-5284 (please leave a voicemail message if not available)

API Well No: 43047521560000

OR

submit an electronic sundry notice (pre-registration required) via the Utah Oil & Gas website at http://oilgas.ogm.utah.gov

Reporting Requirements:

All reports, forms and submittals as required by the Utah Oil and Gas Conservation General Rules will be promptly filed with the Division of Oil, Gas and Mining, including but not limited to:

- Entity Action Form (Form 6) due within 5 days of spudding the well
- Monthly Status Report (Form 9) due by 5th day of the following calendar month
- Requests to Change Plans (Form 9) due prior to implementation
- Written Notice of Emergency Changes (Form 9) due within 5 days
- Notice of Operations Suspension or Resumption (Form 9) due prior to implementation
- Report of Water Encountered (Form 7) due within 30 days after completion
- Well Completion Report (Form 8) due within 30 days after completion or plugging

Approved By:

For John Rogers Associate Director, Oil & Gas Form 3160-3 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

NOV 0 2 2011

FORM APPROVED OMB No. 1004-0136 Expires July 31, 2010

5.	Lease Serial No.
	UTU0285A

		174-131A 157A 1		
APPLICATION FOR PERMIT	TO DRILL OR RI	EENTERUL, ORUT	6. If Indian, Allottee or Tri	ibe Name
1a. Type of Work: ☑ DRILL ☐ REENTER			7. If Unit or CA Agreemer CHAPITA WELLS U	nt, Name and No. JNI
_1b. Type of Well: ☐ Oil Well Gas Well ☐ Ot	her	gle Zone 🛛 Multiple Zone	Lease Name and Well N CHAPITA WELLS UN	
2. Name of Operator Contact: EOG RESOURCES, INC E-Mail: nanette	NANETTE H LUPO _lupcho@eogresources.o	CHO com	9. API Well No. 43-047-57	156
3a. Address 1060 EAST HWY 40 VERNAL, UT 84078	3b. Phone No. (inclu Ph: 435-781-915	de area code) 7	10. Field and Pool, or Expl NATURAL BUTTES	oratory
4. Location of Well (Report location clearly and in accorded	nce with any State requ	irements.*)	11. Sec., T., R., M., or Blk.	and Survey or Area
At surface SWNW 2125FNL 1186FW At proposed prod. zone SWNW 1918FNL 540FWL			Sec 25 T9S R22E N	ler SLB
14. Distance in miles and direction from nearest town or post		109.393606 W LON	10.0	
51.3 MILES SOUTH OF VERNAL, UT	omce		12. County or Parish UINTAH	13. State UT
15. Distance from proposed location to nearest property or lease line, ft. (Also to nearest drig, unit line, if any)	16. No. of Acres in L	ease	17. Spacing Unit dedicated	to this well
540'	1800.00			
18. Distance from proposed location to nearest well, drilling, completed, applied for, on this lease, ft.	19. Proposed Depth		20. BLM/BIA Bond No. or	ı file
830'	9395 MD 9320 TVD		NM2308	
21. Elevations (Show whether DF, KB, RT, GL, etc. 5079 GL	22. Approximate date	e work will start	23. Estimated duration 45 DAYS	
	24. Att	achments		
The following, completed in accordance with the requirements o	f Onshore Oil and Gas (Order No. 1, shall be attached to the	nis form:	
 Well plat certified by a registered surveyor. A Drilling Plan. A Surface Use Plan (if the location is on National Forest Systems Supposed Supposed Forest Service Officered Supposed Forest Service Officered F	em Lands, the fice).	4. Bond to cover the operation Item 20 above). 5. Operator certification 6. Such other site specific info authorized officer.	•	
25. Signature (Electronic Submission)	Name (Printed/Typed NANETTE H Li) UPCHO Ph: 435-781-915	7	Date 11/01/2011
Title REGULATORY ASSISTANT				<u> </u>
Approved by (Signature)	Name (Printed/Typed)	Jerry Kenczka		^D APR 0 4 201
Assistant Field Manager Lands & Mineral Resources	Office VE	RNAL FIELD OFFICE		
Application approval does not warrant or certify the applicant ho- operations thereon. Conditions of approval, if any, are attached.		le to those rights in the subject lea		plicant to conduct
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, n States any false, fictitious or fraudulent statements or representati	nake it a crime for any p ions as to any matter wit	erson knowingly and willfully to thin its jurisdiction.		
Additional Operator Provide Ad			RE	CEIVED
Additional Operator Remarks (see next page)				nn 1 1 2012

Electronic Submission #121880 verified by the BLM Well Information System For EOG RESOURCES, INC, sent to the Vernal

APR 1 1 2012

DIV. OF OIL, GAS & MINING

UDOGN

** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED **

09/15/201

MICKLASSILAT

NOTICE OF APPROVAL



UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT VERNAL FIELD OFFICE**

170 South 500 East

VERNAL, UT 84078

(435) 781-4400



CONDITIONS OF APPROVAL FOR APPLICATION FOR PERMIT TO DRILL

Company: Well No: API No:

EOG Resources, Inc.

CWU 1580-25D 43-047-52156

Agreement:

Location: Lease No: SWNW, Sec. 25, T9S, R22E

UTU-0285A

Chapita Wells Unit

OFFICE NUMBER:

(435) 781-4400

OFFICE FAX NUMBER:

(435) 781-3420

A COPY OF THESE CONDITIONS SHALL BE FURNISHED TO YOUR FIELD REPRESENTATIVE TO INSURE COMPLIANCE

All lease and/or unit operations are to be conducted in such a manner that full compliance is made with the applicable laws, regulations (43 CFR Part 3160), and this approved Application for Permit to Drill including Surface and Downhole Conditions of Approval. The operator is considered fully responsible for the actions of his subcontractors. A copy of the approved APD must be on location during construction, drilling, and completion operations. This permit is approved for a two (2) year period, or until lease expiration, whichever occurs first. An additional extension, up to two (2) years, may be applied for by sundry notice prior to expiration.

NOTIFICATION REQUIREMENTS

-	Forty-Eight (48) hours prior to construction of location and access roads.
-	Prior to moving on the drilling rig.
-	Twenty-Four (24) hours prior to spudding the well.
-	Twenty-Four (24) hours prior to running casing and cementing all casing strings to: blm_ut_vn_opreport@blm.gov
-	Twenty-Four (24) hours prior to initiating pressure tests.
-	Within Five (5) business days after new well begins or production resumes after well has been off production for more than ninety (90) days.
	-

Page 2 of 6 Well: CWU 1580-25D 3/29/2012

SURFACE USE PROGRAM CONDITIONS OF APPROVAL (COAs)

- All new and replacement internal combustion gas field engines of less than or equal to 300 designrated horsepower must not emit more than 2 gms of NO_x per horsepower-hour. This requirement does not apply to gas field engines of less than or equal to 40 design-rated horsepower.
- All and replacement internal combustion gas field engines of greater than 300 design rated horsepower must not emit more than 1.0 gms of NO_x per horsepower-hour.
- If there is an active Gilsonite mining operation within 2 miles of the well location, operator shall notify the Gilsonite operator at least 48 hours prior to any blasting during construction.
- If paleontological materials are uncovered during construction, the operator is to immediately stop
 work and contact the Authorized Officer (AO). A determination will be made by the AO as to what
 mitigation may be necessary for the discovered paleontologic material before construction can
 continue.
- The borrow area near corner six will be minimized as much as possible in order to limit disturbance.

Page 3 of 6 Well: CWU 1580-25D 3/29/2012

DOWNHOLE PROGRAM CONDITIONS OF APPROVAL (COAs)

SITE SPECIFIC DOWNHOLE COAs:

- Cement for the surface casing shall be circulated to surface and/or topped off
- Gamma ray Log shall be run from Total Depth to Surface.
- Cement for the production casing must be brought to at least 200' above the surface casing shoe.

Variances Granted: Air Drilling

- Properly lubricated and maintained rotating head. Variance granted to use a properly maintained and lubricated diverter bowl in place of a rotating head.
- Blooie line discharge 100' from the well bore. Variances granted for blooie line discharge to be 75' from the well bore and may not be straight.
- Compressors located in the opposite direction from the blooie line a minimum of 100' from the well bore. Variance granted for rig mounted air compressors located within 40' of the well.
- In lieu of mud products on location, operator will have sufficient water on location for the mud kill medium during air drilling operations.
- Automatic igniter. Variance granted for igniter, a diffuser will be used instead. Operator will mount a
 deflector at the end of the blooie line to change direction and reduce the velocity of the cuttings flow
 to the reserve pit.
- De-dusting Equipment. Variance granted, dust controlled by water mist during air drilling operations.

All provisions outlined in Onshore Oil & Gas Order #2 Drilling Operations shall be strictly adhered to. The following items are emphasized:

DRILLING/COMPLETION/PRODUCING OPERATING STANDARDS

- The spud date and time shall be reported orally to Vernal Field Office within 24 hours of spudding.
- Notify Vernal Field Office Supervisory Petroleum Engineering Technician at least 24 hours in advance of casing cementing operations and BOPE & casing pressure tests.
- All requirements listed in Onshore Order #2 III. E. Special Drilling Operations are applicable for air drilling of surface hole.
- Blowout prevention equipment (BOPE) shall remain in use until the well is completed or

Page 4 of 6 Well: CWU 1580-25D 3/29/2012

abandoned. Closing unit controls shall remain unobstructed and readily accessible at all times. Choke manifolds shall be located outside of the rig substructure.

- All BOPE components shall be inspected daily and those inspections shall be recorded in the daily drilling report. Components shall be operated and tested as required by Onshore Oil & Gas Order No. 2 to insure good mechanical working order. All BOPE pressure tests shall be performed by a test pump with a chart recorder and <u>NOT</u> by the rig pumps. Test shall be reported in the driller's log.
- BOP drills shall be initially conducted by each drilling crew within 24 hours of drilling out from under the surface casing and weekly thereafter as specified in Onshore Oil & Gas Order No. 2.
- Casing pressure tests are required before drilling out from under all casing strings set and cemented in place.
- No aggressive/fresh hard-banded drill pipe shall be used within casing.
- · Cement baskets shall not be run on surface casing.
- The operator must report all shows of water or water-bearing sands to the BLM. If flowing water is
 encountered it must be sampled, analyzed, and a copy of the analyses submitted to the BLM Vernal
 Field Office.
- The operator must report encounters of all non oil & gas mineral resources (such as Gilsonite, tar sands, oil shale, trona, etc.) to the Vernal Field Office, in writing, within 5 working days of each encounter. Each report shall include the well name/number, well location, date and depth (from KB or GL) of encounter, vertical footage of the encounter and, the name of the person making the report (along with a telephone number) should the BLM need to obtain additional information.
- A complete set of angular deviation and directional surveys of a directional well will be submitted to the Vernal BLM office engineer within 30 days of the completion of the well.
- While actively drilling, chronologic drilling progress reports shall be filed directly with the BLM, Vernal Field Office on a weekly basis in sundry, letter format or e-mail to the Petroleum Engineers until the well is completed.
- A cement bond log (CBL) will be run from the production casing shoe to the top of cement and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.
- Please submit an electronic copy of all other logs run on this well in LAS format to BLM_UT_VN_Welllogs@BLM.gov. This submission will supersede the requirement for submittal of paper logs to the BLM.
- There shall be no deviation from the proposed drilling, completion, and/or workover program as approved. Safe drilling and operating practices must be observed. Any changes in operation must have prior approval from the BLM Vernal Field Office.

Page 5 of 6 Well: CWU 1580-25D 3/29/2012

OPERATING REQUIREMENT REMINDERS:

- All wells, whether drilling, producing, suspended, or abandoned, shall be identified in accordance with 43 CFR 3162.6. There shall be a sign or marker with the name of the operator, lease serial number, well number, and surveyed description of the well.
- For information regarding production reporting, contact the Office of Natural Resources Revenue (ONRR) at www.ONRR.gov.
- Should the well be successfully completed for production, the BLM Vernal Field office must be
 notified when it is placed in a producing status. Such notification will be by written communication
 and must be received in this office by not later than the fifth business day following the date on
 which the well is placed on production. The notification shall provide, as a minimum, the following
 informational items:
 - o Operator name, address, and telephone number.
 - Well name and number.
 - Well location (¼¼, Sec., Twn, Rng, and P.M.).
 - Date well was placed in a producing status (date of first production for which royalty will be paid).
 - o The nature of the well's production, (i.e., crude oil, or crude oil and casing head gas, or natural gas and entrained liquid hydrocarbons).
 - o The Federal or Indian lease prefix and number on which the well is located; otherwise the non-Federal or non-Indian land category, i.e., State or private.
 - o Unit agreement and/or participating area name and number, if applicable.
 - Communitization agreement number, if applicable.
- Any venting or flaring of gas shall be done in accordance with Notice to Lessees (NTL) 4A and needs prior approval from the BLM Vernal Field Office.
- All undesirable events (fires, accidents, blowouts, spills, discharges) as specified in NTL 3A will be
 reported to the BLM, Vernal Field Office. Major events, as defined in NTL3A, shall be reported
 verbally within 24 hours, followed by a written report within 15 days. "Other than Major Events" will
 be reported in writing within 15 days. "Minor Events" will be reported on the Monthly Report of
 Operations and Production.
- Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (BLM Form 3160-4) shall be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3162.4-1. Two copies of all logs run, core descriptions, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, shall be filed on BLM Form 3160-4. Submit with the well completion report a geologic report including, at a minimum, formation tops, and a summary and conclusions. Also include deviation surveys, sample descriptions, strip logs, core data, drill stem test data, and results of production tests if performed. Samples (cuttings, fluid,

Page 6 of 6 Well: CWU 1580-25D 3/29/2012

and/or gas) shall be submitted only when requested by the BLM, Vernal Field Office.

- All off-lease storage, off-lease measurement, or commingling on-lease or off-lease, shall have prior written approval from the BLM Vernal Field Office.
- Oil and gas meters shall be calibrated in place prior to any deliveries. The BLM Vernal Field Office Petroleum Engineers will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports shall be submitted to the BLM Vernal Field Office. All measurement facilities will conform to the API standards for liquid hydrocarbons and the AGA standards for natural gas measurement. All measurement points shall be identified as the point of sale or allocation for royalty purposes.
- A schematic facilities diagram as required by Onshore Oil & Gas Order No. 3 shall be submitted to
 the BLM Vernal Field Office within 30 days of installation or first production, whichever occurs first.
 All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All
 product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in
 accordance with Onshore Oil & Gas Order No. 3.
- Any additional construction, reconstruction, or alterations of facilities, including roads, gathering
 lines, batteries, etc., which will result in the disturbance of new ground, shall require the filing of a
 suitable plan and need prior approval of the BLM Vernal Field Office. Emergency approval may be
 obtained orally, but such approval does not waive the written report requirement.
- No location shall be constructed or moved, no well shall be plugged, and no drilling or workover
 equipment shall be removed from a well to be placed in a suspended status without prior approval
 of the BLM Vernal Field Office. If operations are to be suspended for more than 30 days, prior
 approval of the BLM Vernal Field Office shall be obtained and notification given before resumption
 of operations.
- Pursuant to Onshore Oil & Gas Order No. 7, this is authorization for pit disposal of water produced from this well for a period of 90 days from the date of initial production. A permanent disposal method must be approved by this office and in operation prior to the end of this 90-day period. In order to meet this deadline, an application for the proposed permanent disposal method shall be submitted along with any necessary water analyses, as soon as possible, but no later than 45 days after the date of first production. Any method of disposal which has not been approved prior to the end of the authorized 90-day period will be considered as an Incident of Noncompliance and will be grounds for issuing a shut-in order until an acceptable manner for disposing of said water is provided and approved by this office.
- Unless the plugging is to take place immediately upon receipt of oral approval, the Field Office
 Petroleum Engineers must be notified at least 24 hours in advance of the plugging of the well, in
 order that a representative may witness plugging operations. If a well is suspended or abandoned,
 all pits must be fenced immediately until they are backfilled. The "Subsequent Report of
 Abandonment" (Form BLM 3160-5) must be submitted within 30 days after the actual plugging of
 the well bore, showing location of plugs, amount of cement in each, and amount of casing left in
 hole, and the current status of the surface restoration.

Sundry Number: 25927 API Well Number: 43047521560000

	STATE OF UTAH		FORM 9
	DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS, AND MIN		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A
SUNDR	RY NOTICES AND REPORTS (ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for pro current bottom-hole depth, FOR PERMIT TO DRILL form	7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS		
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: CWU 1580-25D
2. NAME OF OPERATOR: EOG Resources, Inc.			9. API NUMBER: 43047521560000
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000	N , Denver, CO, 80202	PHONE NUMBER: 435 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2125 FNL 1186 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SWNW Section:	HIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E Merio	ian: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
✓ DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
5/21/2012		OTHER	
			OTHER:
	COMPLETED OPERATIONS. Clearly show a l was spud on 5/11/12. Pleas chronology.		
NAME (DI EASE DDINIT)	DUONE NI IMPE	D TITLE	
NAME (PLEASE PRINT) Mickenzie Gates	PHONE NUMBE 435 781-9145	CR TITLE Operations Clerk	
SIGNATURE N/A		DATE 5/21/2012	

Sundry Number: 25927 API Well Number: 43047521560000

WELL	CHRONOLOGY
	REPORT

Report Generated On: 05-21-2012

Well Name	CWU 1580-25D	Well Type	DEVG	Division	DENVER
Field	CHAPITA DEEP	API#	43-047-52156	Well Class	DRIL
County, State	UINTAH, UT	Spud Date		Class Date	
Tax Credit	N	TVD / MD	9,320/ 9,395	Property #	067502
Water Depth	0	Last CSG	0.0	Shoe TVD / MD	0/0
KB / GL Elev	5,098/ 5,079				
Location	Section 25-T9S-R22E, SWN	W, 2125 FNL & 1186	FWL		

DRILL & COMPLETE

Operator	EOG RESOUR	CES, INC WI %	100	0.0		NRI %		82.139316	
AFE No	310980	AFE	Total	1,597,800		DHC / CV	VC	785,100/ 81	12,700
Rig Contr		Rig Name		Start Date		Release Date			
05-07-2012	Reported By	RITA THO	MAS						
DailyCosts: Dr	illing \$0		Completion	\$0		Daily 7	Fotal	\$0	
Cum Costs: Dr	rilling \$0		Completion	\$0		Well T	otal	\$0	
MD	0 TVD	0 Progr	ess 0	Days	0	MW	0.0	Visc	0.0
Formation :		PBTD : 0.0		Perf:			PKR D	epth: 0.0	

Activity at Report Time: LOCATION DATA

1.0

Event No

Start	End	Hrs	From To	Activity Description
06:00	06:00	24.0	0	0 LOCATION DATA

SHL: 2125' FNL & 1186' FWL (SW/NW)

SECTION 25, T9S, R22E UINTAH COUNTY, UTAH

Description

LAT 40 DEG 00' 30.32", LONG 109 DEG 23' 36.61" (NAD 83) LAT 40 DEG 00' 30.44", LONG 109 DEG 23' 34.16" (NAD 27)

PROPOSED BHL: 1918' FNL & 540' FWL (SW/NW)

SECTION 25, T9S, R22E UINTAH COUNTY, UTAH

TRUE RIG #34

OBJECTIVE TD: 9395' MD / 9320' TVD MESAVERDE

DW/GAS

CHAPITA WELLS DEEP PROSPECT

DD&A: CHAPITA DEEP NATURAL BUTTES FIELD

LEASE: UTU-0285A API #: 43-047-52156

RECEIVED: May. 21, 2012

Well Name: CWU 1580–25D Field: CHAPITA DEEP Property: 067502

ELEVATION: 5079' NAT GL, 5078.96' (0.4' CUT AT STAKE), PREP GL (DUE TO ROUNDING PREP GL IS 5079'), 19' KB (5098')

MULTI PAD WELL: CWU 1580–25D, CWU 1581–25D, CWU 1582–25D, CWU 1583–25D, CWU 1584–25D, CWU 1585–25D

EOG WI 100%, NRI 82.139316%

05-08-2012	Repo	rted By		ROBERT WILKIN	IS						
DailyCosts: Dril	ing	\$0		Com	pletion	\$0		Daily	Total	\$0	
Cum Costs: Dril	ling	\$0		Com	pletion	\$0		Well 7	Total	\$0	
MD (T	VD	0	Progress	0	Days	0	MW	0.0	Visc	0.0
Formation :			PBTD	: 0.0		Perf:			PKR Dep	pth: 0.0	
Activity at Repo	rt Time:	BUILDI	NG LOCA	ATION							
Start End	Hrs	From	To	Activity Descrip	otion						
06:00 06:00	24.	0 0	0	LOCATION BUIL	D START	ED YESTERD.	AY, 5/7/12.	STARTED PU	JSHING ON	LOCATION.	
05-09-2012	Repo	rted By		ROBERT WILKIN	IS						
DailyCosts: Dril	ling	\$0		Com	pletion	\$0		Daily	Total	\$0	
Cum Costs: Dril	ling	\$0		Com	pletion	\$0		Well 7	Total	\$0	
MD (T	VD	0	Progress	0	Days	0	\mathbf{MW}	0.0	Visc	0.0
MD (Formation :) Т	VD	0 PBTD :	<u> </u>	0	Days Perf:	0	MW	0.0 PKR De l		0.0
Formation :			PBTD	: 0.0	0	•	0	MW			0.0
Formation : Activity at Repo			PBTD ON BUIL	: 0.0		•	0	MW			0.0
Formation : Activity at Repo	rt Time:	LOCATI	PBTD : ON BUIL To 0	: 0.0 .D	otion	Perf:			PKR Dep	pth: 0.0	
Formation : Activity at Repo	rt Time: Hrs	LOCATI	PBTD ON BUIL	: 0.0 Activity Descrip	otion ORTH SIE	Perf:			PKR Dep	pth: 0.0	
Formation: Activity at Reportant Start End 06:00 06:00	rt Time: Hrs 24.	LOCATI	PBTD ON BUIL	: 0.0 Activity Descrip HIT ROCK ON NO EQUIPMENT.	otion ORTH SID % COMPL	Perf:			PKR Dep	pth: 0.0	
Formation: Activity at Reportant End 06:00 06:00	Hrs 24.	From 0 0	PBTD ON BUIL	: 0.0 Activity Descrip HIT ROCK ON NO EQUIPMENT. LOCATION IS 55: ROBERT WILKIN	otion ORTH SID % COMPL	Perf:			PKR Dep	pth: 0.0	
Formation : Activity at Repo	Hrs 24.	From 0 0	PBTD ON BUIL	: 0.0 Activity Descrip HIT ROCK ON NO EQUIPMENT. LOCATION IS 55' ROBERT WILKIN Com	otion ORTH SIE % COMPL IS	Perf:		LED AND SH	PKR Dep	pth: 0.0	
Formation: Activity at Reportant End 06:00 06:00 05-11-2012 DailyCosts: Drill	Hrs 24.	From 0 0 rted By	PBTD ON BUIL	: 0.0 Activity Descrip HIT ROCK ON NO EQUIPMENT. LOCATION IS 55' ROBERT WILKIN Com	otion ORTH SIE % COMPL IS apletion	Perf: DE OF LOCATION LETE. \$0		LED AND SH	PKR Dep	pth: 0.0 O PUSHING V	

LOCATION IS 100% COMPLETE.

HAULING ON CLOSED LOOP.

Activity Description

Hrs From To

0

24.0

Start

06:00

End

06:00

05-15-2012	Re	eported By	K	YLAN COOK							
DailyCosts: D	rilling	\$0		Com	pletion	\$0		Daily	Total	\$0	
Cum Costs: D	rilling	\$0		Com	pletion	\$0		Well T	Total	\$0	
MD	60	TVD	60	Progress	0	Days	0	MW	0.0	Visc	0.0

 $0\,$ LOCATION IS ALL ROUGHED IN DOING FINAL GRADING.

Page 2

Sundry Number: 25927 API Well Number: 43047521560000

Well Name: CWU 1580–25D Field: CHAPITA DEEP Property: 067502

Formation: PBTD: 0.0 Perf: PKR Depth: 0.0

Activity at Report Time: CONDUCTOR SET

Start End Hrs From To Activity Description

06:00 06:00 24.0 0 60 CRAIG'S BUCKET RIG SPUD A 20" HOLE ON 05/11/12. SET 60' OF 14" CONDUCTOR. CEMENT TO SURFACE WITH REDI–MIX.

KYLAN COOK NOTIFIED BLM VIA EMAIL OF THE SPUD ON 05/09/12 @ 13:00 PM.

Sundry Number: 25702 API Well Number: 43047521560000

	STATE OF UTAH			FORM 9
ι	DEPARTMENT OF NATURAL RESO DIVISION OF OIL, GAS, AND I		;	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A
SUNDR	Y NOTICES AND REPORT	rs on	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for pro current bottom-hole depth, r FOR PERMIT TO DRILL form	7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS			
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER: CWU 1580-25D
2. NAME OF OPERATOR: EOG Resources, Inc.				9. API NUMBER: 43047521560000
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000	N , Denver, CO, 80202		NE NUMBER: 35 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2125 FNL 1186 FWL				COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	IIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E M	Meridian:	S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDI	CATE N	ATURE OF NOTICE, REPOR	T, OR OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION	
	ACIDIZE		ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS		CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start.	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	☐ F	RACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE		PLUG AND ABANDON	PLUG BACK
,	PRODUCTION START OR RESUME		RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:				
5/11/2012	REPERFORATE CURRENT FORMATION		SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
DRILLING REPORT	L TUBING REPAIR		ENT OR FLARE	☐ WATER DISPOSAL ☐
Report Date:	☐ WATER SHUTOFF ☐	⊔ s	SI TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION	□ (DTHER	OTHER:
	completed operations. Clearly sherenced well was spud o		11/2012.	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY May 16, 2012
NAME (PLEASE PRINT) Mickenzie Gates	PHONE NU 435 781-9145	JMBER	TITLE Operations Clerk	
SIGNATURE N/A			DATE 5/14/2012	

RECEIVED: May. 14, 2012

Sundry Number: 25703 API Well Number: 43047521560000

	STATE OF UTAH		FORM 9
ι	DEPARTMENT OF NATURAL RESOURC DIVISION OF OIL, GAS, AND MIN		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A
SUNDR	RY NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	oposals to drill new wells, significantly of reenter plugged wells, or to drill horizon n for such proposals.		7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: CWU 1580-25D
2. NAME OF OPERATOR: EOG Resources, Inc.			9. API NUMBER: 43047521560000
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000	N , Denver, CO, 80202	PHONE NUMBER: 435 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2125 FNL 1186 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E Merio	dian: S	STATE: UTAH
11. CHECH	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
5/14/2012	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	✓ WATER DISPOSAL
DRILLING REPORT	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
Report Date:			
	WILDCAT WELL DETERMINATION	OTHER	OTHER:
EOG Resources, Inc of produced water 550-30N SWD Evaporation Ponds	COMPLETED OPERATIONS. Clearly show a c. respectfully requests author at the following locations: NE & CWU 2-29 SWD ROW# UTI 1,2,3,4,5,6&7, White River E Ponds 1&2, Coyote 1-16 SW ROW# UTU86010 & UTU897	orization for the disposal BU 20-20B SWD, CWU U85038, Red Wash Evaporation Ponds 1&2, D and Hoss SWD Wells 7093.	
NAME (PLEASE PRINT) Mickenzie Gates	PHONE NUMB 435 781-9145	ER TITLE Operations Clerk	
SIGNATURE N/A		DATE 5/14/2012	

Sundry Number: 25704 API Well Number: 43047521560000

	STATE OF UTAH				FORM 9
ι	DEPARTMENT OF NATURAL RESOU DIVISION OF OIL, GAS, AND M		3	5.LEASE DESIGNAT UTU0285A	TON AND SERIAL NUMBER:
SUNDR	RY NOTICES AND REPORTS	S ON	WELLS	6. IF INDIAN, ALLO	TTEE OR TRIBE NAME:
	oposals to drill new wells, significantl reenter plugged wells, or to drill horiz n for such proposals.			7.UNIT or CA AGRE CHAPITA WELLS	EMENT NAME:
1. TYPE OF WELL Gas Well				8. WELL NAME and CWU 1580-25D	NUMBER:
2. NAME OF OPERATOR: EOG Resources, Inc.				9. API NUMBER: 4304752156000	00
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000	N , Denver, CO, 80202		NE NUMBER: 35 781-9111 Ext	9. FIELD and POOL NATURAL BUTTE	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2125 FNL 1186 FWL				COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH	tip, range, meridian: 25 Township: 09.0S Range: 22.0E Me	eridian:	S	STATE: UTAH	
11. CHECI	K APPROPRIATE BOXES TO INDIC.	ATE N	ATURE OF NOTICE, REPOR	T, OR OTHER DA	тA
TYPE OF SUBMISSION			TYPE OF ACTION		
	ACIDIZE		ALTER CASING	CASING REPA	ılR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS		CHANGE TUBING	CHANGE WEL	L NAME
Approximate date work will start:	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS	CONVERT WE	LL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN		RACTURE TREAT	☐ NEW CONSTR	RUCTION
	OPERATOR CHANGE	\Box	PLUG AND ABANDON	PLUG BACK	
	PRODUCTION START OR RESUME		RECLAMATION OF WELL SITE		E DIFFERENT FORMATION
SPUD REPORT Date of Spud:					
	REPERFORATE CURRENT FORMATION		SIDETRACK TO REPAIR WELL	☐ TEMPORARY	
✓ DRILLING REPORT	L TUBING REPAIR		/ENT OR FLARE	☐ WATER DISPO	
Report Date: 5/14/2012	WATER SHUTOFF	□ :	SI TA STATUS EXTENSION	APD EXTENS	ON
0,11,2012	WILDCAT WELL DETERMINATION	□ (OTHER	OTHER:	
No activit	completed operations. Clearly show	d on	5/11/2012.	Accepte Utah Div Oil, Gas a	d by the vision of nd Mining CORD ONLY
NAME (PLEASE PRINT) Mickenzie Gates	PHONE NUN 435 781-9145	MBER	TITLE Operations Clerk		
SIGNATURE N/A			DATE 5/14/2012		

RECEIVED: May. 14, 2012

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

ENTITY ACTION FORM EOG Resources, Inc. Operator Account Number: N 9550 600 17th Street, Suite 1000N zip 80202 Phone Number: (303) 824-5590

Operator:

Address:

city Denver state CO

API Number	Well	Name	QQ	Sec	Twp	Rng	County
43-047-52156	Chapita Wells Unit 1	580-25D	SWNW		98	22E	UINTAH
Action Code	Current Entity Number	New Entity Number	tity Spud Date Entity Ass				ly Assignment fective Date
Α	59	1360	5	/11/201	2		618012

Well 2

API Number	Well	Name	QQ	Sec	TWP	Rng	County
43-047-52159	Chapita Wells Unit 1	584-25D	SWNW	22E	UINTAH		
Action Code	Current Entity Number	New Entity Number	9	pud De	10	Enti E	ity Assignment ffective Date
Α	59	13650	5	/12/201	2	51	11,12012
Comments: MESA BHL: SW	VERDE In LW						10/10014

Well 3

API Number	Well	Name	QQ	Sec	Twp	Rng	County
43-047-52158	Chapita Wells Unit 1	583-25D					
Action Code	Current Entity Number	New Entity Number	Spud Date Entity Assig				ty Assignment Rective Date
Α	59	13650	5	/12/201	2	-	612012
Comments: MESA	WERDE		<u> </u>	* 12/20		-	<u> </u>

ACTION CODES:

- A Establish new entity for new well (single well only)
- B Add new well to existing entity (group or unit well)
- C Re-assign well from one existing entity to another existing entity
- Re-assign well from one existing entity to a new entity
- E Other (Explain in 'comments' section)

Vail Nazzaro

Senior Regulatory Assistant

5/14/2012

(5/2000)

RECEIVED

MAY 1 4 2012

Sundry Number: 26397 API Well Number: 43047521560000

	STATE OF UTAH			FORM 9
I	DEPARTMENT OF NATURAL RESOURC DIVISION OF OIL, GAS, AND MIN			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A
SUNDR	RY NOTICES AND REPORTS	ON V	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for procurrent bottom-hole depth, FOR PERMIT TO DRILL form	posals to drill new wells, significantly or reenter plugged wells, or to drill horizon n for such proposals.	deepe ntal la	en existing wells below aterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER: CWU 1580-25D
2. NAME OF OPERATOR: EOG Resources, Inc.				9. API NUMBER: 43047521560000
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000	N , Denver, CO, 80202		NE NUMBER: 5 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2125 FNL 1186 FWL				COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E Merio	dian: \$	S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICAT	ΓΕ NA	ATURE OF NOTICE, REPOR	T, OR OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION	
	ACIDIZE		LTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	СН	HANGE TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS	□ cc	OMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	☐ FR	RACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	☐ PL	LUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	☐ RE	ECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION		DETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR		ENT OR FLARE	WATER DISPOSAL
✓ DRILLING REPORT				
Report Date: 6/4/2012	WATER SHUTOFF		TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION	o1	THER	OTHER:
	COMPLETED OPERATIONS. Clearly show a occurred since last submiss	-	_	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY June 04, 2012
NAME (PLEASE PRINT) Mickenzie Gates	PHONE NUMB 435 781-9145	ER	TITLE Operations Clerk	
SIGNATURE		\dashv	DATE	
N/A		- 1	6/4/2012	

DIVISION OF OIL, GAS AND MINING

SPUDDING INFORMATION

Name of Cor	npany;	EOG	RES	OURE	S, INC		
Well Name		CW	U 158	80-25D			
Api No:	43-047-521	.56	******	Lease	е Туре	FEDERAL	
Section 25	Township_	09S Ra	ange_	22E	County	UINTAH	
Drilling Con	tractor <u>CF</u>	RAIG'S ROI	<u>USTA</u>	BOUT	SERV R	IG # 6	
SPUDDE	D:						
	Date	06/17/2012	2	- ·			
	Time	11:00 AM	[_			
	How	ROTAR	Y	—			
Drilling wi Commenc	II e:	····					
Reported by_		KY]	LAN (соок	PY		
Telephone#		(435	5) 790-	-8236			
	06/20/2012						

Sundry Number: 27237 API Well Number: 43047521560000

	STATE OF UTAH		FORM 9
ι	DEPARTMENT OF NATURAL RESOUF DIVISION OF OIL, GAS, AND M		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A
SUNDR	Y NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	posals to drill new wells, significantl reenter plugged wells, or to drill horiz n for such proposals.		
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: CWU 1580-25D
2. NAME OF OPERATOR: EOG Resources, Inc.			9. API NUMBER: 43047521560000
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000) N , Denver, CO, 80202	PHONE NUMBER: 435 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2125 FNL 1186 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	IIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E Me	ridian: S	STATE: UTAH
11. CHECH	K APPROPRIATE BOXES TO INDICA	ATE NATURE OF NOTICE, F	REPORT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION)N
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMAT	IONS CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
✓ DRILLING REPORT	L TUBING REPAIR	☐ VENT OR FLARE ☐	☐ WATER DISPOSAL ☐
Report Date: 7/2/2012	WATER SHUTOFF	SI TA STATUS EXTENSION	☐ APD EXTENSION
.,	WILDCAT WELL DETERMINATION	OTHER	OTHER:
Surface casing wa	completed operations. Clearly showns set on 6-17-2012, please chronology.	e see the attached w	
NAME (PLEASE PRINT) Vail Nazzaro	PHONE NUM 303 824-5590	BER TITLE Sr. Regulatory Assis	ant
SIGNATURE N/A		DATE 7/2/2012	

RECEIVED: Jul. 02, 2012

Well Name: CWU 1580–25D Field: CHAPITA DEEP Property: 067502

|--|

Start	End	Hrs	From	То	Activ	vity Descrip		nge 3					
-	at Report												
ormati		m.			T D : 0.0			Perf:			PKR De	pth: 0.0	
MD	1,56	8 T	VD			Progress	1,140	Days	0	MW	0.0	Visc	0.0
Cum Co	sts: Drilli	ng	\$112	2,497		Com	pletion	\$0		Well	l Total	\$112,497	
DailyCo	sts: Drilli	ng	\$32,	643		Com	pletion	\$0		Dail	y Total	\$32,643	
6-15-2	012	Repo	rted By		KYL	AN COOK							
						TEY MEETIN L USED 312 (D TRIPPING	DIRECTIC	ONAL TOOLS		
						SURVEYS A CCIDENTS I			ED TO TRUI	E #34 RKB=	:19'.		
03:30	06:00	2.	.5 42	8 4	128 TRIP	BACK TO B	OTTOM.	SCRIBE DRI	LL STRING.	BACK ON	BOTTOM @ 1	REPORT TIME.	
02:30	03:30	1.				REPAIR. WO							
01:30	02:30	1.	.0 42	8 4	28 TRIP	OUT OF HO	LE TO SC	CRIBE DRILL	L STRING BA	ACK TO BO	OTTOM.		
01:00	01:30	0.	.5 42	8 4	28 CIRC	CULATE TO T	TRIP OUT	OF HOLE A	ND SCRIBE	DRILL STI	RING BACK T	ГО КОР.	
20:30	00:00 01:00	3. 1.				UP BHA AN L ROTATE O					RVEYS.		
											D=0.20 , BH	10 WWD=00 .	
						WELL PLAN					D-6.28' RIT'	ТО MWD=60'.	
						L PREDRILL				a a de			
20:00	20:30	0.	.5 31	9 3	819 RIG (ON DAY WO	RK @ 20:	00 PM ON 06	5/13/2012. TA	ALLY BHA.			
10:30	20:00	9.	.5 31	9 3		J ON CWU 1:							
tart	End	Hrs	From			vity Descrip	tion						
	on . at Report	Time	: DRILLL					1011.			I IXK DC	Peri • 0.0	
AD Formatio		1	VD		+28 P T D: 0.0	Progress	109	Days Perf :	U	MW	PKR De	Visc	0.0
AD	sts: Drilli 428	_	\$79,		428 P		pletion 109		0		l Total		0.0
-	sts: Drilli	_	\$23, \$70				pletion	\$0 \$0			y Total	\$23,163 \$79,854	
6-14-2		_	rted By		KYL	AN COOK		* ~				405	
							OTIFIED	BLM VIA EM	MAIL OF TH	E SPUD ON	N 05/09/12 @ 1	13:00 PM.	
00.00	00.00	24.	.0	U		FACE WITH I			LE ON 03/1	1/12. SEI 00	OF 14 COL	ADUCTOR, CEI	VILLIVI IC
Start 06:00	End 06:00	Hrs 24.	From			vity Descrip		UD A 20" HO	N E ON 05/1	1/1) CET <i>41</i>	0' OF 14" COM	NDUCTOR. CEI	MENIT TO
-	at Report												
'ormati					D : 0.0			Perf:			PKR De	pth: 0.0	
MD	60	T	VD		60 P	Progress	0	Days	0	MW	0.0	Visc	0.0
Cum Co	sts: Drilli	ng	\$56,	691		Com	pletion	\$0		Well	l Total	\$56,691	
		ug	φ50,	091		Com	pienon	40		Dan	y Total	\$56,691	
ailyCo	sts: Drilli	nσ	\$56,	601		Com	pletion	\$0		Deil	To4o1	¢56 601	

Sundry Number: 27237 API Well Number: 43047521560000

Well Name: CWU 1580-25D Field: CHAPITA DEEP Property: 067502

06:00	18:00	12.0	428	1088	DRILL ROTATE AND SL	IDE FROM 428	s' TO 1088'. <i>6</i>	560'. ROP	55' FPH.			
					WOB ROTATE 10K, WOR 494, PSI 1100, DIFF PSI 3				TOR RPM 7	79. PU	MP STROKES	S 130, GPM
18:00	02:00	8.0	1088	1568	DRILL ROTATE AND SL	IDE FROM 108	88' TO 1568'.	480'. RO	P 60' FPH.			
					WOB ROTATE 20K, WOB 494, PSI 1250, DIFF PSI 3				TOR RPM 7	79. PU	MP STROKES	S 130, GPM
					DIRECTION OF SURFACE FACE AZIMUTH GENER MAGNETIC INTERFERE	ATED BY MW	D TOOL, BU	JT MWD	SURVEYS	STILI	L SHOWING N	MINOR
02:00	03:30	1.5	1568	1568	CIRCULATE FOR GYRO	SURVEY.						
03:30	06:00	2.5	1568	1568	TRIP OFF BOTTOM 60'. MWD SURVEYS.	RIG UP MULT	I–SHOT. RU	NNING C	GYRO SURV	VEY T	O CHECK AG	SAINST
					ALL SURVEYS AND DE NO ACCIDENTS REPOR SAFTEY MEETINGS: PU FUEL USED 660 GALLO	TED. JMP PRESSUR						
06-16-2	2012	Reporte	d By		KYLAN COOK							
DailyCo	sts: Drilli	ng	\$42,861	1	Completion	1 \$0		Da	aily Total		\$42,861	
-	osts: Drilli	_	\$155,35	58	Completion				ell Total		\$155,358	
MD	2,28	3 TVD)	2,238	Progress 715	Days	0	MW	0	0.0	Visc	0.0
MD Formati	*	3 TVD		2,238 PBTD		Days Perf:	0	MW			Visc th: 0.0	0.0
Format	*	_,_]			•	0	MW				0.0
Format	ion:	t Time: TO]	PBTD	: 0.0	•	0	MW				0.0
Formati Activity	ion : at Repor	t Time: TO	I OH	PBTD To		Perf: CIRCULATE E SURVEYS. SO ERENCE FROM	BACK TO BC DURCE OF M M OTHER W	OTTOM. (MINOR IN 'ELLS (PC	PKR GYRO SUR NTERFERE DSSIBLE M	R Dep VEYS NCE I IAGNI	th: 0.0 BELOW 578' DETECTED BETIZED MUD	MD ELOW 578' MOTOR)
Formati Activity Start	ion : at Repor End	t Time: TO	I OH F rom 7	PBTD To 1568	Activity Description FINISH GYRO SURVEY. AGREEING WITH MWD MD NOT FROM INTERF AND IS NOT AFFECTING	Perf: CIRCULATE E SURVEYS. SO ERENCE FRO! G MWD READ	BACK TO BC OURCE OF M M OTHER W INGS. MWI	OTTOM. (MINOR IN 'ELLS (PC D SURVE	PKR GYRO SUR NTERFERE DSSIBLE M	R Dep VEYS NCE I IAGNI	th: 0.0 BELOW 578' DETECTED BETIZED MUD	MD ELOW 578' MOTOR)
Formati Activity Start 06:00	ion: at Report End 06:30	t Time: To) OH F rom 7 1568	PBTD To 1568	Activity Description FINISH GYRO SURVEY. AGREEING WITH MWD MD NOT FROM INTERF AND IS NOT AFFECTING ACCURATELY.	Perf: CIRCULATE E SURVEYS. SO ERENCE FROM G MWD READ 568' TO 1658'.	BACK TO BC DURCE OF M M OTHER W INGS. MWI 90'. ROP 45'	OTTOM. (MINOR IN 'ELLS (PC O SURVE 'FPH.	PKR GYRO SUR VTERFEREI OSSIBLE M YS DETERI	VEYS NCE I IAGNI MINE	th: 0.0 BELOW 578' DETECTED BETIZED MUD	MD ELOW 578' MOTOR)
Formati Activity Start 06:00	ion : at Repor End 06:30	t Time: TO Hrs I 0.5	1568	PBTD To 1568 1658	Activity Description FINISH GYRO SURVEY. AGREEING WITH MWD MD NOT FROM INTERF AND IS NOT AFFECTING ACCURATELY. DRILL ROTATE FROM 1	Perf: CIRCULATE E SURVEYS. SO ERENCE FROM G MWD READ 568' TO 1658'.	BACK TO BC DURCE OF M M OTHER W MINGS. MWI 90'. ROP 45' TO FIX PAC	OTTOM. (MINOR IN FELLS (PO D SURVE FPH. KING IN	PKR GYRO SUR VTERFEREI OSSIBLE M YS DETERI	VEYS NCE I IAGNI MINE	th: 0.0 BELOW 578' DETECTED BETIZED MUD	MD ELOW 578' MOTOR)
Formati Activity Start 06:00 06:30 08:30	ion: at Report End 06:30 08:30	t Time: TO Hrs I 0.5	1568 1568	PBTD To 1568 1658 1658 1658	Activity Description FINISH GYRO SURVEY. AGREEING WITH MWD MD NOT FROM INTERF AND IS NOT AFFECTING ACCURATELY. DRILL ROTATE FROM 1 CIRCULATE AND TRIP	Perf: CIRCULATE E SURVEYS. SO ERENCE FRO! G MWD READ 568' TO 1658'. OFF BOTTOM PACKING IN PO	BACK TO BC DURCE OF M M OTHER W MINGS. MWI 90'. ROP 45' TO FIX PAC	OTTOM. (MINOR IN FELLS (PO D SURVE FPH. KING IN	PKR GYRO SUR VTERFEREI OSSIBLE M YS DETERI	VEYS NCE I IAGNI MINE	th: 0.0 BELOW 578' DETECTED BETIZED MUD	MD ELOW 578' MOTOR)
Formati Activity Start 06:00 06:30 08:30 09:30	ion: at Report End 06:30 08:30 09:30 10:30	t Time: To Hrs I 0.5	1568 1568 1658	PBTD 1568 1658 1658 1658 1658	Activity Description FINISH GYRO SURVEY. AGREEING WITH MWD MD NOT FROM INTERF AND IS NOT AFFECTING ACCURATELY. DRILL ROTATE FROM 1 CIRCULATE AND TRIP RIG REPAIR. CHANGE I	Perf: CIRCULATE E SURVEYS. SO ERENCE FROM G MWD READ 568' TO 1658'. OFF BOTTOM PACKING IN PO 1. IDE FROM 165 3 SLIDE 18K. F	BACK TO BO DURCE OF M M OTHER W INGS. MWI 90'. ROP 45' TO FIX PAC OWERHEAD 88' TO 2283'.	OTTOM. (MINOR IN FELLS (PC) SURVE FPH. FRING IN D. 625°. ROM 45, MO	PKR GYRO SUR NTERFEREI DSSIBLE M YS DETERI POWERHE P 52' FPH. TOR RPM 7	R Dep VEYS NCE I IAGNI MINE EAD.	th: 0.0 BELOW 578' DETECTED BETIZED MUD D TO BE REA	MD ELOW 578' MOTOR) ADING
Formati Activity Start 06:00 06:30 08:30 09:30 10:30	ion: at Report End 06:30 08:30 09:30 10:30 11:00	t Time: To Hrs I 0.5 2.0 1.0 1.0 0.5	1568 1568 1568 1658 1658 1658	PBTD 160 1568 1658 1658 1658 1658 2283	Activity Description FINISH GYRO SURVEY. AGREEING WITH MWD MD NOT FROM INTERF AND IS NOT AFFECTING ACCURATELY. DRILL ROTATE FROM 1 CIRCULATE AND TRIP RIG REPAIR. CHANGE IS TRIP BACK TO BOTTOM DRILL ROTATE AND SL WOB ROTATE 20K, WOR	Perf: CIRCULATE E SURVEYS. SO ERENCE FROM 1658'. OFF BOTTOM PACKING IN POM. IDE FROM 1658 SLIDE 18K. F	BACK TO BO DURCE OF M M OTHER W INGS. MWI 90'. ROP 45' TO FIX PAC OWERHEAD 88' TO 2283'.	OTTOM. (MINOR IN FELLS (PC) SURVE FPH. FRING IN D. 625°. ROM 45, MO	PKR GYRO SUR NTERFEREI DSSIBLE M YS DETERI POWERHE P 52' FPH. TOR RPM 7	R Dep VEYS NCE I IAGNI MINE EAD.	th: 0.0 BELOW 578' DETECTED BETIZED MUD D TO BE REA	MD ELOW 578' MOTOR) ADING
Formati Activity Start 06:00 06:30 08:30 09:30 10:30 11:00	on: at Report End 06:30 08:30 09:30 10:30 11:00 23:00	t Time: TO Hrs I 0.5 2.0 1.0 1.0 0.5	1568 1568 1568 1658 1658 1658	PBTD To 1568 1658 1658 1658 2283	Activity Description FINISH GYRO SURVEY. AGREEING WITH MWD MD NOT FROM INTERF AND IS NOT AFFECTING ACCURATELY. DRILL ROTATE FROM 1 CIRCULATE AND TRIP RIG REPAIR. CHANGE IF TRIP BACK TO BOTTOM DRILL ROTATE AND SL WOB ROTATE 20K, WOR 494, PSI 1500, DIFF PSI 3	Perf: CIRCULATE E SURVEYS. SO ERENCE FROM 1658'. TO 1658'. OFF BOTTOM PACKING IN POM. IDE FROM 1658 SILIDE 18K. FOM 1650. ROTATE 84	BACK TO BO DURCE OF M M OTHER W INGS. MWI 90'. ROP 45' TO FIX PAC OWERHEAD 88' TO 2283'. ROTARY RPM	OTTOM. (MINOR IN FELLS (PC) SURVE FPH. KING IN O. 625'. RO M 45, MO 5%. 6' RIC	PKR GYRO SUR NTERFEREI DSSIBLE M YS DETERI POWERHE P 52' FPH. TOR RPM 7 GHT AND 13	R Dep VEYS NCE I IAGNI MINE EAD.	th: 0.0 BELOW 578' DETECTED BETIZED MUD D TO BE REA	MD ELOW 578' MOTOR) ADING
Formati Activity Start 06:00 06:30 08:30 09:30 10:30 11:00	ion: at Report End 06:30 08:30 09:30 10:30 11:00 23:00	t Time: To Hrs I 0.5 2.0 1.0 1.0 0.5 12.0	1568 1568 1568 1658 1658 1658	PBTD To 1568 1658 1658 1658 2283	Activity Description FINISH GYRO SURVEY. AGREEING WITH MWD MD NOT FROM INTERF AND IS NOT AFFECTING ACCURATELY. DRILL ROTATE FROM 1 CIRCULATE AND TRIP RIG REPAIR. CHANGE F TRIP BACK TO BOTTOM DRILL ROTATE AND SL WOB ROTATE 20K, WOR 494, PSI 1500, DIFF PSI 3	Perf: CIRCULATE E SURVEYS. SO ERENCE FROM G MWD READ 568' TO 1658'. OFF BOTTOM PACKING IN POM. IDE FROM 1658 SLIDE 18K. F. 100. ROTATE 84 R. TRIP. ITH DIRECTION PTHS ADJUST TED.	BACK TO BODURCE OF MOTHER WINGS. MWI 90'. ROP 45' TO FIX PACOWERHEAD 88' TO 2283'. ROTARY RPM 1% SLIDE 16	OTTOM. (MINOR IN FELLS (PC) SURVE FPH. KING IN D. 625'. RO M 45, MO' 5%. 6' RIC	PKR GYRO SUR NTERFERE DSSIBLE M YS DETER! POWERHE P 52' FPH. TOR RPM 7 GHT AND 1: BHA WITH B=19'.	R Dep VEYS NCE I LAGNI MINE EAD.	th: 0.0 BELOW 578' DETECTED BETIZED MUD D TO BE REA	MD ELOW 578' MOTOR) ADING

Sundry Number: 27237 API Well Number: 43047521560000

Well Name: CWU 1580–25D Field: CHAPITA DEEP Property: 067502

FUEL USED 670 GALLONS

				FUEL USED 6/0 C	JALLON	S.					
2012	Repor	ted By		KYLAN COOK							
sts: Drilli	ng	\$90,96	55	Com	pletion	\$0		Dail	y Total	\$90,965	
osts: Drilli	ng	\$246,3	324	Com	pletion	\$0		Well	Total	\$246,324	
2,28	3 TV	'D	2,238	Progress	0	Days	0	MW	0.0	Visc	0.0
ion :			PBTD	: 0.0		Perf:			PKR De _l	oth: 0.0	
at Report	Time:	CEMENT	ING SU	RFACE CASING							
End	Hrs	From	То	Activity Descrip	tion						
11:30	5.5	2283	2283	TRIP BACK TO B 1100' TO TD.	OTTOM V	VITH TRI–CC	ONE AND R	EAMER. IN	TERMITTEN	T TIGHT SPO	TS FROM
15:30	4.0	2283	2283							VEEPS AND 10	BBL
20:00	4.5	2283	2283	TRIP OUT OF HO	LE TO RU	JN SURFACE	CSG.				
21:00	1.0	2283	2283	RIG UP TO RUN (CASING.						
01:30	4.5	2283	2283	AND FLOAT COL	LAR. 8 C	ENTRALIZEI	RS SPACED	MIDDLE O	F SHOE, ON	TOP OF NEXT	
02:30	1.0	2283	2283	RUN 200' OF 1" P	IPE.						
04:00	1.5	2283	2283	RDMO CRAIG'S 1 1585–25D.	PRESET I	RIG. RELEAS	E RIG @ 04	:00 AM ON	06/17/2012. N	OVING TO C	WU
06:00	2.0	2283	2283	CEMENTING SUI	RFACE CS	SG AT REPOR	T TIME. DI	ETAILS WIL	L BE ON NE	XT REPORT.	
				NO ACCIDENTS I	REPORTE IGS: TRIP	ED. PING IN HOI					
2012	Repor	ted By		KYLAN COOK							
sts: Drilli	ng	\$34,10	00	Com	pletion	\$0		Daily	y Total	\$34,100	
osts: Drilli	ng	\$280,4	125	Com	pletion	\$0		Well	Total	\$280,425	
2,28	3 T \	' D	2,238	8 Progress	0	Days	0	MW	0.0	Visc	0.0
ion :			PBTD	: 0.0		Perf:			PKR De	oth: 0.0	
at Report	Time:	WORT									
End	Hrs	From	То	Activity Descrip	tion						
06:00	24.0	2283	2283	CEMENT JOB: M LINES AND CEM	IRU HALI ENT VAL	VE TO 3000 P					
				LEAD: MIXED AN VERSASET, 2% C OF 4.1 CF/SX.			*	*			
	2,28 ion: at Report End 11:30 15:30 20:00 21:00 01:30 02:30 04:00 06:00 2012 0sts: Drilli 2,28 ion: at Report End	osts: Drilling	Sets: Drilling \$90,96 Sets: Drilling \$246,3 2,283 TVD Sets: Drilling \$246,3 2,283 TVD Sets: Drilling \$246,3 Sets: Drilling \$246,3 Sets: Drilling \$246,3 Sets: Drilling \$283 Sets: Drilling \$34,10 Sets: Drilling \$34,10 Sets: Drilling \$280,4 Sets: Drilling \$280,4	Sosts: Drilling \$90,965 Sosts: Drilling \$246,324 2,283 TVD 2,233 Sosts: Drilling \$246,324 2,283 TVD 2,233 Sosts: Drilling Sosts: Drilling Sosts Control Sosts Sosts Sosts Co	Separate Separate	Separate Separate	Sets: Drilling \$90,965 Completion \$0	Sets: Drilling S90,965 Completion S0	Selection Solution Solution	Series Drilling S90,965 Completion S0 Daily Total	Septembry Sep

Sundry Number: 27237 API Well Number: 43047521560000

Well Name: CWU 1580–25D Field: CHAPITA DEEP Property: 067502

DISPLACED CEMENT WITH 170 BBLS FRESH WATER. BUMPED PLUG WITH 1000# @ 05:56 AM ON 06/17/12. FLOAT HELD. SHUT–IN CASING VALVE. BROKE CIRCULATION 110 BBLS INTO FRESH WATER FLUSH, LOST RETURNS 70 BBLS INTO LEAD CEMENT. NO CEMENT TO SURFACE. WOC 2 HR.

TOP JOB #1: PUMP DOWN 200' OF 1" PIPE. MIXED & PUMPED 100 SX (20 BBLS) OF PREMIUM CEMENT WITH 2% CACL2. MIXED CEMENT @ 15.8 PPG WITH YIELD OF 1.15 CF/SX. NO CEMENT TO SURFACE. WOC 3 HR.

TOP JOB #2: PUMP DOWN 200' OF 1" PIPE. MIXED & PUMPED 150 SX (29 BBLS) OF PREMIUM CEMENT WITH 2% CACL2. MIXED CEMENT @ 15.8 PPG WITH YIELD OF 1.15 CF/SX. GOOD CEMENT TO SURFACE. HOLE STOOD FULL.

PREPARED LOCATION FOR ROTARY RIG. WORT. WILL DROP FROM REPORT UNTIL FURTHER ACTIVITY.

KYLAN COOK NOTIFIED BLM VIA EMAIL OF THE SURFACE CASING & CEMENT JOB ON 06/15/12 @ 21:00 PM.

KYLAN COOK NOTIFIED CAROL DANIELS WITH UDOGM OF THE SURFACE CASING & CEMENT JOB VIA PHONE ON 06/15/12 @ 21:00 PM.

Sundry Number: 28243 API Well Number: 43047521560000

	FORM 9						
ı	DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MININ		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A				
SUNDR	N WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:					
	posals to drill new wells, significantly de- reenter plugged wells, or to drill horizonta n for such proposals.		7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS				
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: CWU 1580-25D				
2. NAME OF OPERATOR: EOG Resources, Inc.			9. API NUMBER: 43047521560000				
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000		HONE NUMBER: 435 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES				
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2125 FNL 1186 FWL			COUNTY: UINTAH				
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SWNW Section:	HP, RANGE, MERIDIAN:25 Township: 09.0S Range: 22.0E Meridia	n: S	STATE: UTAH				
11. CHECI	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	T, OR OTHER DATA				
TYPE OF SUBMISSION		TYPE OF ACTION					
	ACIDIZE	ALTER CASING	CASING REPAIR				
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME				
SUBSEQUENT REPORT	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE				
Date of Work Completion:	L DEEPEN L	FRACTURE TREAT	NEW CONSTRUCTION				
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK				
SPUD REPORT Date of Spud:	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION				
	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON				
✓ DRILLING REPORT	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL				
Report Date: 8/1/2012	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION				
0/1/2012	WILDCAT WELL DETERMINATION	OTHER	OTHER:				
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. No activity has occurred since last submission on 7/2/2012. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY August 07, 2012							
Vail Nazzaro	303 824-5590	Sr. Regulatory Assistant					
SIGNATURE N/A		DATE 8/1/2012					

Sundry Number: 29464 API Well Number: 43047521560000

	FORM 9			
ı	DEPARTMENT OF NATURAL RESOUR DIVISION OF OIL, GAS, AND MI			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A
SUNDR	Y NOTICES AND REPORTS	ON	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	posals to drill new wells, significantly reenter plugged wells, or to drill horize n for such proposals.			7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER: CWU 1580-25D
2. NAME OF OPERATOR: EOG Resources, Inc.				9. API NUMBER: 43047521560000
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000) N , Denver, CO, 80202		NE NUMBER: 35 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2125 FNL 1186 FWL				COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SWNW Section:	ilP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E Mer	ridian:	s	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDICA	ATE NA	ATURE OF NOTICE, REPOR	T, OR OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION	
	ACIDIZE	☐ AI	LTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	☐ cı	HANGE TUBING	CHANGE WELL NAME
SUBSEQUENT REPORT	CHANGE WELL STATUS	c	OMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
Date of Work Completion:	DEEPEN	∐ FF	RACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	∐ рі	LUG AND ABANDON	PLUG BACK
SPUD REPORT Date of Spud:	PRODUCTION START OR RESUME	∐ RI	ECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
	REPERFORATE CURRENT FORMATION	∐ sı	IDETRACK TO REPAIR WELL	TEMPORARY ABANDON
✓ DRILLING REPORT	TUBING REPAIR	∐ VE	ENT OR FLARE	WATER DISPOSAL
Report Date: 9/4/2012	WATER SHUTOFF	☐ SI	I TA STATUS EXTENSION	APD EXTENSION
9/4/2012	WILDCAT WELL DETERMINATION	☐ o	THER	OTHER:
	COMPLETED OPERATIONS. Clearly shows occurred since last submi	issio		epths, volumes, etc. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY September 04, 2012
Vail Nazzaro	303 824-5590	J-I\	Sr. Regulatory Assistant	
SIGNATURE N/A			DATE 9/4/2012	

Sundry Number: 30722 API Well Number: 43047521560000

	STATE OF UTAH DEPARTMENT OF NATURAL RESOUR				FORM 9
I	3	5.LEASE UTU02	DESIGNATION AND SERIAL NUMBER: 85A		
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:				
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significantl reenter plugged wells, or to drill horiz n for such proposals.	y deep ontal l	en existing wells below aterals. Use APPLICATION		r CA AGREEMENT NAME: 'A WELLS
1. TYPE OF WELL Gas Well				1 '	NAME and NUMBER: 580-25D
2. NAME OF OPERATOR: EOG Resources, Inc.				9. API NU 43047	JMBER: 521560000
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000	N , Denver, CO, 80202		NE NUMBER: 35 781-9111 Ext		and POOL or WILDCAT: AL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2125 FNL 1186 FWL				COUNTY	
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SWNW Section:	IIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E Me	ridian:	S	STATE: UTAH	
11. CHECI	K APPROPRIATE BOXES TO INDICA	ATE N	ATURE OF NOTICE, REPOR	RT, OR O	THER DATA
TYPE OF SUBMISSION			TYPE OF ACTION		
_	ACIDIZE		ALTER CASING		CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS		CHANGE TUBING		CHANGE WELL NAME
	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS		CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	□ F	RACTURE TREAT		NEW CONSTRUCTION
	OPERATOR CHANGE	☐ F	PLUG AND ABANDON		PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	☐ F	RECLAMATION OF WELL SITE		RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	□ s	SIDETRACK TO REPAIR WELL		TEMPORARY ABANDON
	TUBING REPAIR		/ENT OR FLARE		WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF		SI TA STATUS EXTENSION		APD EXTENSION
10/5/2012	WILDCAT WELL DETERMINATION		OTHER	ОТНЕ	
					!
	COMPLETED OPERATIONS. Clearly show occurred since last submi	•	<u>-</u> .	oi FOI	Accepted by the Utah Division of I, Gas and Mining R RECORD ONLY October 12, 2012
NAME (PLEASE PRINT) Mickenzie Gates	PHONE NUM 435 781-9145	BER	TITLE Lead Regulatory Assistant		
SIGNATURE N/A			DATE 10/5/2012		

Sundry Number: 31712 API Well Number: 43047521560000

STATE OF UTAH					FORM 9		
ı	DEPARTMENT OF NATURAL RESOUR DIVISION OF OIL, GAS, AND MI		3	5.LEASE DESIGN UTU0285A	IATION AND SERIAL NUMBER:		
SUNDR	6. IF INDIAN, AL	LOTTEE OR TRIBE NAME:					
	oposals to drill new wells, significantly reenter plugged wells, or to drill horizen n for such proposals.			7.UNIT or CA AG CHAPITA WELL	REEMENT NAME: .S		
1. TYPE OF WELL Gas Well				8. WELL NAME a CWU 1580-25			
2. NAME OF OPERATOR: EOG Resources, Inc.				9. API NUMBER: 43047521560	0000		
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000	0 N , Denver, CO, 80202		NE NUMBER: 35 781-9111 Ext	9. FIELD and PO NATURAL BUT			
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2125 FNL 1186 FWL				COUNTY: UINTAH			
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SWNW Section:	HIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E Me	ridian:	S	STATE: UTAH			
11. CHEC	K APPROPRIATE BOXES TO INDICA	ATE N	ATURE OF NOTICE, REPOR	T, OR OTHER	DATA		
TYPE OF SUBMISSION			TYPE OF ACTION				
	ACIDIZE		ALTER CASING	CASING R	EPAIR		
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS		CHANGE TUBING	CHANGE	WELL NAME		
Approximate date work will start.	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS	CONVERT	WELL TYPE		
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	□ F	FRACTURE TREAT	☐ NEW CON	ISTRUCTION		
	OPERATOR CHANGE	☐ F	PLUG AND ABANDON	PLUG BAG	ск		
SPUD REPORT	PRODUCTION START OR RESUME	□ F	RECLAMATION OF WELL SITE	RECOMP	LETE DIFFERENT FORMATION		
Date of Spud:	REPERFORATE CURRENT FORMATION		SIDETRACK TO REPAIR WELL	TEMPORA	ARY ABANDON		
	TUBING REPAIR		/ENT OR FLARE	WATER D			
✓ DRILLING REPORT Report Date:	WATER SHUTOFF		SI TA STATUS EXTENSION	APD EXT			
11/5/2012					i		
	WILDCAT WELL DETERMINATION		OTHER	OTHER:			
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. No activity has occurred since last submission on 10/5/2012. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY November 06, 2012							
NAME (PLEASE PRINT) Mickenzie Gates	PHONE NUM 435 781-9145	BER	TITLE Lead Regulatory Assistant				
SIGNATURE	433 701-8143		DATE				
N/A			11/5/2012				

Sundry Number: 33671 API Well Number: 43047521560000

	STATE OF UTAH			FORMS
	DEPARTMENT OF NATURAL RESOL DIVISION OF OIL, GAS, AND N		3	5.LEASE DESIGNATION AND SERIAL NUMBER UTU0285A
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
	oposals to drill new wells, significan reenter plugged wells, or to drill hor n for such proposals.			7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER: CWU 1580-25D
2. NAME OF OPERATOR: EOG Resources, Inc.				9. API NUMBER: 43047521560000
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000	O N , Denver, CO, 80202		NE NUMBER: 35 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2125 FNL 1186 FWL				COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E M	leridian:	S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDIC	CATE N	ATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION	
	ACIDIZE		ALTER CASING	CASING REPAIR
NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS		CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN		FRACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE		PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME		RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:				
	REPERFORATE CURRENT FORMATION		SIDETRACK TO REPAIR WELL	LI TEMPORARY ABANDON
✓ DRILLING REPORT	TUBING REPAIR		/ENT OR FLARE	WATER DISPOSAL
Report Date: 1/8/2013	WATER SHUTOFF	□ :	SI TA STATUS EXTENSION	APD EXTENSION
17072013	WILDCAT WELL DETERMINATION		OTHER	OTHER:
	COMPLETED OPERATIONS. Clearly sho	-	_	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY January 09, 2013
NAME (PLEASE PRINT) Vail Nazzaro	PHONE NU 303 824-5590	MBER	TITLE Sr. Regulatory Assistant	
SIGNATURE N/A			DATE 1/8/2013	

Sundry Number: 34449 API Well Number: 43047521560000

	STATE OF UTAH			FORM 9
ı	DEPARTMENT OF NATURAL RESOL DIVISION OF OIL, GAS, AND N		i	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
Do not use this form for pro current bottom-hole depth, FOR PERMIT TO DRILL form	posals to drill new wells, significan reenter plugged wells, or to drill hor n for such proposals.	tly deep izontal l	en existing wells below aterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER: CWU 1580-25D
2. NAME OF OPERATOR: EOG Resources, Inc.				9. API NUMBER: 43047521560000
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000	O N , Denver, CO, 80202		NE NUMBER: 35 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2125 FNL 1186 FWL				COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SWNW Section:	HIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E N	leridian:	S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDIC	CATE N	ATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION	
	ACIDIZE		ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS		CHANGE TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	□ F	RACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	P	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME		RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	□ s	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR		ENT OR FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF		SI TA STATUS EXTENSION	APD EXTENSION
2/4/2013				
	WILDCAT WELL DETERMINATION		OTHER	OTHER:
	completed operations. Clearly she activity has occured since	-	•	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY February 13, 2013
NAME (PLEASE PRINT) Vail Nazzaro	PHONE NU 303 824-5590	MBER	TITLE Sr. Regulatory Assistant	
SIGNATURE			DATE	
l N/A			2/4/2013	

RECEIVED: Feb. 04, 2013

Sundry Number: 35124 API Well Number: 43047521560000

	STATE OF UTAH			FORM 9
[DEPARTMENT OF NATURAL RESON DIVISION OF OIL, GAS, AND I			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A
SUNDR	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significar reenter plugged wells, or to drill ho n for such proposals.	ntly deep rizontal la	en existing wells below aterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER: CWU 1580-25D
2. NAME OF OPERATOR: EOG Resources, Inc.				9. API NUMBER: 43047521560000
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000	N , Denver, CO, 80202		NE NUMBER: 5 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2125 FNL 1186 FWL				COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E N	/leridian:	S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDI	CATE NA	ATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION	
	ACIDIZE		LTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	□ c	HANGE TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS	□ c	OMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	☐ F	RACTURE TREAT	☐ NEW CONSTRUCTION
·	OPERATOR CHANGE	Пр	LUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME		ECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION		IDETRACK TO REPAIR WELL	TEMPORARY ABANDON
✓ DRILLING REPORT	L TUBING REPAIR		ENT OR FLARE	☐ WATER DISPOSAL ☐
Report Date: 3/1/2013	WATER SHUTOFF	∟ s	I TA STATUS EXTENSION	APD EXTENSION
07.1720.10	WILDCAT WELL DETERMINATION	□ •	THER	OTHER:
	completed operations. Clearly sh activity has occured since	-	- · · · · · · · · · · · · · · · · · · ·	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY March 01, 2013
NAME (PLEASE PRINT) Vail Nazzaro	PHONE NU 303 824-5590	IMBER	TITLE Sr. Regulatory Assistant	
SIGNATURE			DATE	
N/A			3/1/2013	

Sundry Number: 36180 API Well Number: 43047521560000

	STATE OF UTAH			FORM 9
ι	DEPARTMENT OF NATURAL RESC DIVISION OF OIL, GAS, AND		;	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A
SUNDR	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:			
	posals to drill new wells, significa reenter plugged wells, or to drill ho n for such proposals.			7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER: CWU 1580-25D
2. NAME OF OPERATOR: EOG Resources, Inc.				9. API NUMBER: 43047521560000
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000) N , Denver, CO, 80202		NE NUMBER: 35 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2125 FNL 1186 FWL				COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E	Meridian:	S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO IND	ICATE N	ATURE OF NOTICE, REPOF	T, OR OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION	
	ACIDIZE		ALTER CASING	CASING REPAIR
NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS		CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN		RACTURE TREAT	☐ NEW CONSTRUCTION
24.0 5. 110.1. 50.1	OPERATOR CHANGE		PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME		RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:				
	REPERFORATE CURRENT FORMATION		SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
✓ DRILLING REPORT	L TUBING REPAIR		ENT OR FLARE	WATER DISPOSAL
Report Date: 4/2/2013	WATER SHUTOFF	L s	SI TA STATUS EXTENSION	APD EXTENSION
4/2/2013	WILDCAT WELL DETERMINATION	☐ c	OTHER	OTHER:
No a	COMPLETED OPERATIONS. Clearly slactivity has occurred sinc	-	spud.	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY April 02, 2013
NAME (PLEASE PRINT) Vail Nazzaro	PHONE N 303 824-5590	UMBER	TITLE Sr. Regulatory Assistant	
SIGNATURE N/A			DATE 4/2/2013	

Sundry Number: 37441 API Well Number: 43047521560000

	STATE OF UTAH			FORM 9
[DEPARTMENT OF NATURAL RESO DIVISION OF OIL, GAS, AND I		i	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A
SUNDR	Y NOTICES AND REPORT	S ON	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.			7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS	
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER: CWU 1580-25D
2. NAME OF OPERATOR: EOG Resources, Inc.	9. API NUMBER: 43047521560000			
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000) N , Denver, CO, 80202		NE NUMBER: 85 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2125 FNL 1186 FWL				COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SWNW Section: 25 Township: 09.0S Range: 22.0E Meridian: S			S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDI	CATE NA	ATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION	
	ACIDIZE		LTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS		HANGE TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS		OMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	☐ F	RACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	☐ P	LUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	□ R	ECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	Пя	IDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR		ENT OR FLARE	WATER DISPOSAL
✓ DRILLING REPORT Report Date:	WATER SHUTOFF		I TA STATUS EXTENSION	APD EXTENSION
5/3/2013				
	WILDCAT WELL DETERMINATION		THER	OTHER:
	COMPLETED OPERATIONS. Clearly shactivity has occurred since	-	-	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY May 03, 2013
NAME (PLEASE PRINT) Vail Nazzaro	PHONE NU 303 824-5590	JMBER	TITLE Sr. Regulatory Assistant	
SIGNATURE			DATE	
l N/A			5/3/2013	

RECEIVED: May. 03, 2013

Sundry Number: 38503 API Well Number: 43047521560000

	STATE OF UTAH			FORM 9
ı	DEPARTMENT OF NATURAL RESON DIVISION OF OIL, GAS, AND I			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A
SUNDR	RY NOTICES AND REPORT	S ON	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.			7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS	
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER: CWU 1580-25D
2. NAME OF OPERATOR: EOG Resources, Inc.	9. API NUMBER: 43047521560000			
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000	0 N , Denver, CO, 80202		NE NUMBER: 5 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2125 FNL 1186 FWL				COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SWNW Section: 25 Township: 09.0S Range: 22.0E Meridian: S			S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDI	CATE NA	ATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION	
	ACIDIZE		LTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	□ c	HANGE TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS	□ c	OMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	☐ F	RACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	☐ P	LUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	□ R	ECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION		IDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR		ENT OR FLARE	WATER DISPOSAL
✓ DRILLING REPORT	WATER SHUTOFF		I TA STATUS EXTENSION	APD EXTENSION
Report Date: 6/4/2013				
	WILDCAT WELL DETERMINATION		THER	OTHER:
	COMPLETED OPERATIONS. Clearly sh activity has occurred since	-	-	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY June 10, 2013
NAME (PLEASE PRINT) Vail Nazzaro	PHONE NU 303 824-5590	JMBER	TITLE Sr. Regulatory Assistant	
SIGNATURE			DATE	
l N/A			6/4/2013	

Sundry Number: 39465 API Well Number: 43047521560000

	STATE OF UTAH			FORM 9
I	DEPARTMENT OF NATURAL RESO DIVISION OF OIL, GAS, AND		;	5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A
SUNDR	Y NOTICES AND REPORT	TS ON	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
current bottom-hole depth, i	Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.			
1. TYPE OF WELL Gas Well	8. WELL NAME and NUMBER: CWU 1580-25D			
2. NAME OF OPERATOR: EOG Resources, Inc.				9. API NUMBER: 43047521560000
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000) N , Denver, CO, 80202		NE NUMBER: 35 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2125 FNL 1186 FWL				COUNTY: UINTAH
2125 FNL 1186 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SWNW Section: 25 Township: 09.0S Range: 22.0E Meridian: S				STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDI	ICATE N	ATURE OF NOTICE, REPOR	T, OR OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION	
	ACIDIZE		ALTER CASING	CASING REPAIR
NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS		CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN		RACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE		PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME		RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:				
	REPERFORATE CURRENT FORMATION		SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
✓ DRILLING REPORT	TUBING REPAIR		ENT OR FLARE	☐ WATER DISPOSAL
Report Date: 7/1/2013	WATER SHUTOFF	∟∟s	SI TA STATUS EXTENSION	APD EXTENSION
77172013	WILDCAT WELL DETERMINATION		OTHER	OTHER:
	COMPLETED OPERATIONS. Clearly shactivity has occurred since			Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY July 01, 2013
NAME (PLEASE PRINT) Vail Nazzaro	PHONE NU 303 824-5590	JMBER	TITLE Sr. Regulatory Assistant	
SIGNATURE	300 02 . 0000		DATE	
N/A			7/1/2013	

RECEIVED: Jul. 01, 2013

Sundry Number: 40684 API Well Number: 43047521560000

	STATE OF UTAH			FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A	
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
Do not use this form for pro current bottom-hole depth, I FOR PERMIT TO DRILL form	posals to drill new wells, significar reenter plugged wells, or to drill ho n for such proposals.	ntly deep rizontal l	en existing wells below aterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: CWU 1580-25D	
2. NAME OF OPERATOR: EOG Resources, Inc.				9. API NUMBER: 43047521560000
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000	N , Denver, CO, 80202		NE NUMBER: 35 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2125 FNL 1186 FWL				COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SWNW Section:	HIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E N	Meridian:	S	STATE: UTAH
11. CHECI	K APPROPRIATE BOXES TO INDI	CATE N	ATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION	
□ NOTICE OF INTENT	ACIDIZE		ALTER CASING	CASING REPAIR
Approximate date work will start:	CHANGE TO PREVIOUS PLANS CHANGE WELL STATUS		CHANGE TUBING COMMINGLE PRODUCING FORMATIONS	☐ CHANGE WELL NAME ☐ CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN		RACTURE TREAT	NEW CONSTRUCTION
· I	OPERATOR CHANGE	p	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME		RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	□ s	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	□ v	ENT OR FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF		SI TA STATUS EXTENSION	APD EXTENSION
8/2/2013	WILDCAT WELL DETERMINATION		DTHER	OTHER:
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. No activity has occurred since well spud. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY August 02, 2013				
NAME (PLEASE PRINT) Vail Nazzaro	PHONE NU 303 824-5590	JMBER	TITLE Sr. Regulatory Assistant	
SIGNATURE N/A			DATE 8/2/2013	

Sundry Number: 41916 API Well Number: 43047521560000

	STATE OF UTAH				FORM 9	
	DEPARTMENT OF NATURAL RESOUF DIVISION OF OIL, GAS, AND M		i	5.LEASE DESIGNATION A UTU0285A	AND SERIAL NUMBER:	
SUNDR	RY NOTICES AND REPORTS	ON	WELLS	6. IF INDIAN, ALLOTTEE	OR TRIBE NAME:	
	posals to drill new wells, significantl reenter plugged wells, or to drill horiz n for such proposals.			7.UNIT or CA AGREEME CHAPITA WELLS	NT NAME:	
1. TYPE OF WELL Gas Well				8. WELL NAME and NUM CWU 1580-25D	BER:	
2. NAME OF OPERATOR: EOG Resources, Inc.				9. API NUMBER: 43047521560000		
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000	0 N , Denver, CO, 80202		NE NUMBER: 35 781-9111 Ext	9. FIELD and POOL or W NATURAL BUTTES	'ILDCAT:	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2125 FNL 1186 FWL				COUNTY: UINTAH		
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E Me	eridian:	S	STATE: UTAH		
11. CHEC	K APPROPRIATE BOXES TO INDICA	ATE N	ATURE OF NOTICE, REPOR	T, OR OTHER DATA		
TYPE OF SUBMISSION			TYPE OF ACTION			
	ACIDIZE		LITER CASING	CASING REPAIR		
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	□ c	CHANGE TUBING	CHANGE WELL NAM	E	
	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYP	E	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	F	RACTURE TREAT	☐ NEW CONSTRUCTIO	N	
	OPERATOR CHANGE	□ Р	LUG AND ABANDON	PLUG BACK		
SPUD REPORT	PRODUCTION START OR RESUME	□ R	ECLAMATION OF WELL SITE	RECOMPLETE DIFFE	RENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION		SIDETRACK TO REPAIR WELL	TEMPORARY ABANG		
	TUBING REPAIR		ENT OR FLARE	WATER DISPOSAL	, or	
✓ DRILLING REPORT						
Report Date: 9/3/2013	WATER SHUTOFF		II TA STATUS EXTENSION	APD EXTENSION		
	WILDCAT WELL DETERMINATION		OTHER	OTHER:		
	COMPLETED OPERATIONS. Clearly show			Accepted by Utah Divisio Oil, Gas and N FOR RECO September	on of Mining RD ONLY	
NAME (PLEASE PRINT) Vail Nazzaro	PHONE NUM 303 824-5590	IBER	TITLE Sr. Regulatory Assistant			
SIGNATURE			DATE 0/3/2013			
N/A			9/3/2013			

Sundry Number: 43189 API Well Number: 43047521560000

	STATE OF UTAH			FORM 9
ı	DEPARTMENT OF NATURAL RESOU DIVISION OF OIL, GAS, AND N			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A
SUNDR	Y NOTICES AND REPORTS	S ON	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.			7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS	
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER: CWU 1580-25D
2. NAME OF OPERATOR: EOG Resources, Inc.	9. API NUMBER: 43047521560000			
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000	N , Denver, CO, 80202		NE NUMBER: 35 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2125 FNL 1186 FWL				COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SWNW Section:	HP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E M	eridian:	S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDIC	ATE N	ATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION	
	ACIDIZE		LTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS		HANGE TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS	□ c	OMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	☐ F	RACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	□ Р	LUG AND ABANDON	PLUG BACK
Splip DEDONT	PRODUCTION START OR RESUME	□в	ECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION		IDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR		ENT OR FLARE	WATER DISPOSAL
✓ DRILLING REPORT	WATER SHUTOFF		I TA STATUS EXTENSION	APD EXTENSION
Report Date: 10/2/2013				
	WILDCAT WELL DETERMINATION		THER	OTHER:
	COMPLETED OPERATIONS. Clearly sho	-	spud.	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY October 02, 2013
NAME (PLEASE PRINT) Vail Nazzaro	PHONE NUM 303 824-5590	MBER	TITLE Sr. Regulatory Assistant	
SIGNATURE			DATE	
l N/A			10/2/2013	

Sundry Number: 47004 API Well Number: 43047521560000

	STATE OF UTAH			FORM 9
	DEPARTMENT OF NATURAL RESOUR DIVISION OF OIL, GAS, AND MI	-		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A
SUNDR	RY NOTICES AND REPORTS	ON	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.			7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS	
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER: CWU 1580-25D
2. NAME OF OPERATOR: EOG RESOURCES, INC.	9. API NUMBER: 43047521560000			
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000	0 N , Denver, CO, 80202		NE NUMBER: 5 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2125 FNL 1186 FWL				COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSI Qtr/Qtr: SWNW Section:	HIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E Me	ridian:	S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICA	TE NA	ATURE OF NOTICE, REPOR	T, OR OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION	
	ACIDIZE		LTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	□ c	HANGE TUBING	CHANGE WELL NAME
Approximate date work will start.	CHANGE WELL STATUS	□ c	OMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	☐ F	RACTURE TREAT	NEW CONSTRUCTION
1/21/2014	OPERATOR CHANGE	Пр	LUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME		ECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	Пѕ	IDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR		ENT OR FLARE	WATER DISPOSAL
DRILLING REPORT	WATER SHUTOFF		TA STATUS EXTENSION	APD EXTENSION
Report Date:		,		
	WILDCAT WELL DETERMINATION		THER	OTHER: Drilling Operations
	COMPLETED OPERATIONS. Clearly show activity has occured since w	•	•	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY January 22, 2014
NAME (PLEASE PRINT) Kaylene Gardner	PHONE NUM 435 781-9111	BER	TITLE Regulatory Administrator	
SIGNATURE		-	DATE	
l N/A			1/21/2014	

RECEIVED: Jan. 21, 2014

Sundry Number: 52759 API Well Number: 43047521560000

	STATE OF UTAH		FORM 9
I	DEPARTMENT OF NATURAL RESOUR DIVISION OF OIL, GAS, AND MI		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A
SUNDR	RY NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	oposals to drill new wells, significantly reenter plugged wells, or to drill horizon n for such proposals.		7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS
1. TYPE OF WELL Gas Well	8. WELL NAME and NUMBER: CWU 1580-25D		
2. NAME OF OPERATOR: EOG RESOURCES, INC.			9. API NUMBER: 43047521560000
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000	O N , Denver, CO, 80202	PHONE NUMBER: 435 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2125 FNL 1186 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SWNW Section:	STATE: UTAH		
11. CHECI	K APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start: 7/1/2014	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
		RECLAMATION OF WELL SITE	
SPUD REPORT	PRODUCTION START OR RESUME		☐ RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
	TUBING REPAIR	☐ VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION	✓ OTHER	OTHER: Drilling Operations
EOG Resources casing was set on 6 pricing,	completed operations. Clearly show spud the referenced well 5/3/17/12 at 2,221' TVD. Due no activity has occurred si	/11/12. 9-5/8" surface to decline in natural gas ince 6/17/12.	Accepted by the Utah Division of Oil, Gas and Mining FORIRECORD ONLY
NAME (PLEASE PRINT) Donna J Skinner	PHONE NUM 303 262-9467	BER TITLE Sr. Regulatory Assistant	
SIGNATURE N/A		DATE 7/1/2014	

RECEIVED: Jul. 01, 2014

Sundry Number: 54002 API Well Number: 43047521560000

	STATE OF UTAH		FORM 9
	DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS, AND MIN		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A
SUNDF	RY NOTICES AND REPORTS (ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	oposals to drill new wells, significantly or reenter plugged wells, or to drill horizon n for such proposals.		7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS
1. TYPE OF WELL Gas Well	8. WELL NAME and NUMBER: CWU 1580-25D		
2. NAME OF OPERATOR: EOG RESOURCES, INC.			9. API NUMBER: 43047521560000
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000		PHONE NUMBER: 435 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2125 FNL 1186 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SWNW Section:	lian: S	STATE: UTAH	
11. CHEC	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
✓ SUBSEQUENT REPORT	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
6/17/2012	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT Date of Spud:	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spau.	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION	✓ OTHER	OTHER: Drilling Ops
EOG Resources, In casing was set on 6 pricing,	COMPLETED OPERATIONS. Clearly show a nc. spud the referenced well sold at 2221' TVD. Due to no activity has occurred sin	5/11/12. 9-5/8" surface decline in natural gas ce 6/17/12.	·
NAME (PLEASE PRINT) Donna J Skinner	PHONE NUMBE 303 262-9467	ER TITLE Sr. Regulatory Assistant	
SIGNATURE N/A		DATE 8/1/2014	

Sundry Number: 55028 API Well Number: 43047521560000

			FORM 9	
	STATE OF UTAH		FORM 9	
	DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS, AND MIN		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A	
SUNDF	RY NOTICES AND REPORTS (ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.			7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS	
1. TYPE OF WELL Gas Well	8. WELL NAME and NUMBER: CWU 1580-25D			
2. NAME OF OPERATOR: EOG RESOURCES, INC.			9. API NUMBER: 43047521560000	
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000	0 N , Denver, CO, 80202	PHONE NUMBER: 435 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2125 FNL 1186 FWL			COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSI	HIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E Meric	lian: S	STATE: UTAH	
11. CHEC	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
	ACIDIZE	ALTER CASING	CASING REPAIR	
NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
✓ SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION	
Date of Work Completion: 6/17/2012				
	OPERATOR CHANGE	PLUG AND ABANDON	L PLUG BACK	
SPUD REPORT Date of Spud:	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON	
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL	
DRILLING REPORT Report Date:	☐ WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION	
	WILDCAT WELL DETERMINATION	✓ OTHER	OTHER: Drilling Operations	
12 DESCRIBE PROPOSED OR	COMPLETED OPERATIONS Clearly show a	Il nortinent details including dates		
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. EOG Resources spud the referenced well 5/11/12. 9-5/8" surface casing was set on 6/17/12 at 2221' TVD. Due to decline in natural gas pricing, no activity has occurred since 6/17/12. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY September 02, 2014				
NAME (PLEASE PRINT) Donna J Skinner	PHONE NUMB 303 262-9467	ER TITLE Sr. Regulatory Assistant		
SIGNATURE N/A		DATE 9/2/2014		

Sundry Number: 56377 API Well Number: 43047521560000

	STATE OF UTAH		FORM 9
ı	DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS, AND MIN		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A
SUNDR	RY NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	oposals to drill new wells, significantly reenter plugged wells, or to drill horizon for such proposals.		7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS
1. TYPE OF WELL Gas Well	8. WELL NAME and NUMBER: CWU 1580-25D		
2. NAME OF OPERATOR: EOG RESOURCES, INC.			9. API NUMBER: 43047521560000
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000	O N , Denver, CO, 80202	PHONE NUMBER: 435 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2125 FNL 1186 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SWNW Section:	STATE: UTAH		
11. CHEC	K APPROPRIATE BOXES TO INDICAT	TE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start.	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
6/17/2012	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	_		TEMPORARY ABANDON
	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	
DRILLING REPORT	L TUBING REPAIR	☐ VENT OR FLARE	WATER DISPOSAL
Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION	✓ OTHER	OTHER: Drilling Operations
EOG Resources casing was set on 6	completed operations. Clearly show a spud the referenced well 5/ 6/17/12 at 2221' TVD. Due to no activity has occurred sin	11/12. 9-5/8" surface o decline in natural gas	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY October 06, 2014
NAME (PLEASE PRINT) Donna J Skinner	PHONE NUMB 303 262-9467	ER TITLE Sr. Regulatory Assistant	
SIGNATURE	200 202 0 107	DATE	
N/A		10/6/2014	

Sundry Number: 58124 API Well Number: 43047521560000

	STATE OF UTAH				FORM 9
ı	DEPARTMENT OF NATURAL RESOURCE DIVISION OF OIL, GAS, AND MIN		3	5.LEASE UTU02	DESIGNATION AND SERIAL NUMBER: 85A
SUNDR	SUNDRY NOTICES AND REPORTS ON WELLS				IAN, ALLOTTEE OR TRIBE NAME:
	posals to drill new wells, significantly reenter plugged wells, or to drill horizo n for such proposals.			1	OF CA AGREEMENT NAME: FA WELLS
1. TYPE OF WELL Gas Well					NAME and NUMBER: 580-25D
2. NAME OF OPERATOR: EOG RESOURCES, INC.				9. API N I 43047	JMBER: 521560000
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000	N , Denver, CO, 80202		NE NUMBER: 35 781-9111 Ext	1	and POOL or WILDCAT: AL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2125 FNL 1186 FWL				COUNTY	
QTR/QTR, SECTION, TOWNSH	tip, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E Meri	idian:	S	STATE: UTAH	
11. CHECI	K APPROPRIATE BOXES TO INDICA	TE N	ATURE OF NOTICE, REPOR	T, OR C	THER DATA
TYPE OF SUBMISSION			TYPE OF ACTION		
	ACIDIZE		ALTER CASING		CASING REPAIR
NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS		CHANGE TUBING		CHANGE WELL NAME
Approximate date work will start: SUBSEQUENT REPORT Date of Work Completion: 1 1/2 1/2 0 1 4	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS		CONVERT WELL TYPE
	DEEPEN		FRACTURE TREAT		NEW CONSTRUCTION
	OPERATOR CHANGE		PLUG AND ABANDON		PLUG BACK
SPUD REPORT Date of Spud:	PRODUCTION START OR RESUME	□ R	RECLAMATION OF WELL SITE		RECOMPLETE DIFFERENT FORMATION
	REPERFORATE CURRENT FORMATION	∟ s	SIDETRACK TO REPAIR WELL		TEMPORARY ABANDON
	TUBING REPAIR	∐ v	/ENT OR FLARE		WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF	□s	SI TA STATUS EXTENSION		APD EXTENSION
	WILDCAT WELL DETERMINATION	√ o	OTHER	отн	ER: Drilling Operations
EOG Resources, In casing was set on 6	COMPLETED OPERATIONS. Clearly show ac. spud the referenced well 6/17/12 at 2221' TVD. Due to no activity has occurred sir	5/1 o de	1/12. 9-5/8" surface ecline in natural gas	epths, vo	,
NAME (PLEASE PRINT) Donna J Skinner	PHONE NUMB	BER	TITLE Sr. Regulatory Assistant		
SIGNATURE	303 262-9467		DATE		
N/A			11/21/2014		

Sundry Number: 59323 API Well Number: 43047521560000

	STATE OF UTAH		FORM 9	
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A	
SUNDF	RY NOTICES AND REPORTS (ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
	oposals to drill new wells, significantly of reenter plugged wells, or to drill horizon n for such proposals.		7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS	
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: CWU 1580-25D	
2. NAME OF OPERATOR: EOG RESOURCES, INC.			9. API NUMBER: 43047521560000	
3. ADDRESS OF OPERATOR: 600 17th Street, Suite 1000	0 N , Denver, CO, 80202	PHONE NUMBER: 435 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2125 FNL 1186 FWL			COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNS	HIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E Meric	lian: S	STATE: UTAH	
11. CHEC	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
	ACIDIZE	ALTER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION	
12/31/2014	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK	
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON	
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL	
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION	
	WILDOAT WELL DETERMINATION	J OTHER	OTHER: Drilling Operations	
	WILDCAT WELL DETERMINATION	OTHER	·	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. EOG Resources, Inc. spud the referenced well 5/11/12. 9-5/8" surface casing was set on 6/17/12 at 2221' TVD. Due to decline in natural gas pricing, no activity has occurred since 6/17/12/ Oil, Gas and Mining FOR RECORD ONLY January 06, 2015				
NAME (PLEASE PRINT) Donna J Skinner	PHONE NUMBE 303 262-9467	ER TITLE Sr. Regulatory Assistant		
SIGNATURE N/A		DATE 12/31/2014		

Sundry Number: 64659 API Well Number: 43047521560000

	STATE OF UTAH				FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE D UTU0285	ESIGNATION AND SERIAL NUMBER: 5A	
SUNDR	RY NOTICES AND REPORTS	S ON	WELLS	6. IF INDIA	N, ALLOTTEE OR TRIBE NAME:
	oposals to drill new wells, significant reenter plugged wells, or to drill hori n for such proposals.			7.UNIT or 0	CA AGREEMENT NAME: WELLS
1. TYPE OF WELL Gas Well				8. WELL NA CWU 158	AME and NUMBER: 80-25D
2. NAME OF OPERATOR: EOG RESOURCES, INC.				9. API NUM 4304752	BER: 1560000
3. ADDRESS OF OPERATOR: 1060 East Highway 40, Ve	rnal, UT, 84078 435		NE NUMBER: 0111 Ext	9. FIELD ai	nd POOL or WILDCAT: BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2125 FNL 1186 FWL				COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH	HP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E M	eridian:	S	STATE: UTAH	
11. CHECI	K APPROPRIATE BOXES TO INDIC	ATE N	ATURE OF NOTICE, REPOR	T, OR OTI	HER DATA
TYPE OF SUBMISSION			TYPE OF ACTION		
	ACIDIZE		ALTER CASING	c	ASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS		CHANGE TUBING	□ c	HANGE WELL NAME
Approximate date work will start.	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS	□ c	ONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	☐ F	FRACTURE TREAT	□ N	EW CONSTRUCTION
6/23/2012	OPERATOR CHANGE	\Box	PLUG AND ABANDON	P	LUG BACK
	PRODUCTION START OR RESUME		RECLAMATION OF WELL SITE		ECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:					
	REPERFORATE CURRENT FORMATION		SIDETRACK TO REPAIR WELL		EMPORARY ABANDON
DRILLING REPORT	TUBING REPAIR		/ENT OR FLARE		ATER DISPOSAL
Report Date:	WATER SHUTOFF	□ \$	SI TA STATUS EXTENSION	L A	PD EXTENSION
	WILDCAT WELL DETERMINATION	✓ (OTHER	OTHER:	Drlg Ops
EOG Resources, surface casing was	COMPLETED OPERATIONS. Clearly sho Inc. spud the referenced is s set on 6/23/2012 at 2214 icing, no activity has occu	well o	on 5/10/12. 9-5/8" D. Due to decline in	oil, FOR	mes, etc. ccepted by the tah Division of Gas and Mining RECORD ONLY ly 08, 2015
NAME (PLEASE PRINT) Kaylene Gardner	PHONE NUM 435 781-9111	MBER	TITLE Regulatory Administrator		
SIGNATURE N/A			DATE 7/7/2015		

RECEIVED: Jul. 07, 2015

Sundry Number: 65066 API Well Number: 43047521560000

	STATE OF UTAH			FORM 9
	DEPARTMENT OF NATURAL RESOU DIVISION OF OIL, GAS, AND N		3	5.LEASE DESIGNATION AND SERIAL NUMBER UTU0285A
SUNDR	RY NOTICES AND REPORT	S ON	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	oposals to drill new wells, significant reenter plugged wells, or to drill hori n for such proposals.			7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER: CWU 1580-25D
2. NAME OF OPERATOR: EOG RESOURCES, INC.				9. API NUMBER: 43047521560000
3. ADDRESS OF OPERATOR: 1060 East Highway 40, Ve	rnal, UT, 84078 43:		NE NUMBER: 111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2125 FNL 1186 FWL				COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E M	eridian:	S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDIC	CATE N	ATURE OF NOTICE, REPOR	T, OR OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION	
	ACIDIZE		ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS		CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN		RACTURE TREAT	NEW CONSTRUCTION
7/31/2015	OPERATOR CHANGE		PLUG AND ABANDON	PLUG BACK
SPUD REPORT Date of Spud:	PRODUCTION START OR RESUME		RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
	REPERFORATE CURRENT FORMATION		SIDETRACK TO REPAIR WELL	LI TEMPORARY ABANDON
DRILLING REPORT	L TUBING REPAIR	□ '	ENT OR FLARE	WATER DISPOSAL
Report Date:	WATER SHUTOFF	∐ s	SI TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION	√ d	OTHER	OTHER: Drilling Operations
EOG Resources, surface casing wa	completed operations. Clearly sho Inc. spud the referenced as set on 6/23/12 at 2199' rices, no activity has occu	well o	on 5/10/12. 9-5/8" Due to decline in	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY August 11, 2015
NAME (PLEASE PRINT) Kaylene Gardner	PHONE NUI 435 781-9111	MBER	TITLE Regulatory Administrator	
SIGNATURE			DATE	
N/A			7/31/2015	

RECEIVED: Jul. 31, 2015

Sundry Number: 65707 API Well Number: 43047521560000

	STATE OF UTAH		FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A
SUNDF	RY NOTICES AND REPORTS (ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	oposals to drill new wells, significantly d reenter plugged wells, or to drill horizon n for such proposals.		7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: CWU 1580-25D
2. NAME OF OPERATOR: EOG RESOURCES, INC.			9. API NUMBER: 43047521560000
3. ADDRESS OF OPERATOR: 1060 East Highway 40, Ve		PHONE NUMBER: 31-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2125 FNL 1186 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNS	HIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E Merid	ian: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN [FRACTURE TREAT	NEW CONSTRUCTION
8/26/2015	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION	✓ OTHER	OTHER: Drilling Operations
40 DECORUDE PROPOSED OR		United the state of the state o	<u>, </u>
EOG Resources	completed operations. Clearly show all fine spud the referenced we as set on 6/23/12 at 2199 TVI	ll on 5/10/12. 9 5/8"	Accepted by the Utah Division of
natural gas	prices no activity has occure	d since 6/23/12.	Oil, Gas and Mining
			FOR RECORD ONLY August 27, 2015
			August 27, 2015
NAME (PLEASE PRINT)	PHONE NUMBE		
Kaylene Gardner	435 781-9111	Regulatory Administrator	
SIGNATURE N/A		DATE 8/26/2015	

Sundry Number: 66420 API Well Number: 43047521560000

	STATE OF UTAH			FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A	
SUNDR	Y NOTICES AND REPORT	S ON	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	posals to drill new wells, significant eenter plugged wells, or to drill hori n for such proposals.			7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS
1. TYPE OF WELL Gas Well				8. WELL NAME and NUMBER: CWU 1580-25D
2. NAME OF OPERATOR: EOG RESOURCES, INC.				9. API NUMBER: 43047521560000
3. ADDRESS OF OPERATOR: 1060 East Highway 40, Ve	rnal, UT, 84078 438		NE NUMBER: 0111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2125 FNL 1186 FWL				COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	<mark>IIP, RANGE, MERIDIAN:</mark> 25 Township: 09.0S Range: 22.0E M	eridian:	S	STATE: UTAH
11. CHEC	APPROPRIATE BOXES TO INDIC	ATE N	ATURE OF NOTICE, REPOR	T, OR OTHER DATA
TYPE OF SUBMISSION			TYPE OF ACTION	
	ACIDIZE		ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS		CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start.	CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	F	FRACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE		PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME		RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:				
	REPERFORATE CURRENT FORMATION		SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
✓ DRILLING REPORT	L TUBING REPAIR	_	/ENT OR FLARE	WATER DISPOSAL
Report Date: 9/29/2015	WATER SHUTOFF	∟ s	SI TA STATUS EXTENSION	APD EXTENSION
372372010	WILDCAT WELL DETERMINATION		OTHER	OTHER:
EOG Resources, surface casing was natural gas pi	COMPLETED OPERATIONS. Clearly sho Inc. spud the referenced is set on 6/23/12 at 2199' Tricing, no activity has occu	well α ΓVD.	on 5/10/12. 9 5/8" Due to a decline in since 6/23/12.	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY September 29, 2015
NAME (PLEASE PRINT) Kaylene Gardner	PHONE NUI 435 781-9111	MBER	TITLE Regulatory Administrator	
SIGNATURE N/A			DATE 9/29/2015	

Sundry Number: 74086 API Well Number: 43047521560000

	STATE OF UTAH		FORM 9	
	DEPARTMENT OF NATURAL RESOUR DIVISION OF OIL, GAS, AND MI		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A	
SUNDR	RY NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
	oposals to drill new wells, significantly reenter plugged wells, or to drill horiz n for such proposals.		7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS	
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: CWU 1580-25D	
2. NAME OF OPERATOR: EOG RESOURCES, INC.			9. API NUMBER: 43047521560000	
3. ADDRESS OF OPERATOR: 600 17th Street Ste 1000N	, Denver, CO, 80202	PHONE NUMBER: 435 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2125 FNL 1186 FWL			COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E Mei	ridian: S	STATE: UTAH	
11. CHEC	K APPROPRIATE BOXES TO INDICA	ATE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
	ACIDIZE	ALTER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION	
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK	
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON	
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL	
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION	
9/1/2016	WILDCAT WELL DETERMINATION	OTHER	OTHER: Driling Operations	
		U OTHER		
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. EOG Resources Inc. spud the referenced well on 5/10/12. 9 5/8" surface casing was set on 6/23/12 at 2199' TVD. due to a decline in natural gas pricing, no activity has occurred since 6/23/12. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY September 01, 2016				
NAME (PLEASE PRINT) Kristen Sheehan	PHONE NUM 303 262-9931	BER TITLE Assistant Regulatory		
SIGNATURE N/A		DATE 9/1/2016		
11//3		■ 0/1/2010		

Sundry Number: 76282 API Well Number: 43047521560000

	STATE OF UTAH		FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A
SUNDF	RY NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	oposals to drill new wells, significantly or reenter plugged wells, or to drill horizon n for such proposals.		7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: CWU 1580-25D
2. NAME OF OPERATOR: EOG RESOURCES, INC.			9. API NUMBER: 43047521560000
3. ADDRESS OF OPERATOR: 600 17th Street Ste 1000N	, Denver, CO, 80202	PHONE NUMBER: 435 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2125 FNL 1186 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E Merio	dian: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
✓ DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
11/11/2016	WILDCAT WELL DETERMINATION	✓ OTHER	OTHER: Drillin Ops
42 DESCRIPE PROPOSED OR		all more details including dates	<u>, </u>
	COMPLETED OPERATIONS. Clearly show a , Inc. spud the referenced we		
	s set on 6/23/12 at 2199' TV		Accepted by the Utah Division of
_	ricing no activity has occurr		Oil, Gas and Mining
			FOR RECORD ONLY
			November 28, 2016
NAME (PLEASE PRINT)	PHONE NUMB		
Kristen Sheehan	303 262-9931	Assistant Regulatory	
SIGNATURE N/A		DATE 11/11/2016	

Sundry Number: 76895 API Well Number: 43047521560000

	STATE OF UTAH		FORM 9
1	DEPARTMENT OF NATURAL RESOUR DIVISION OF OIL, GAS, AND MI		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A
SUNDR	RY NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	posals to drill new wells, significantly reenter plugged wells, or to drill horiz n for such proposals.		7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: CWU 1580-25D
2. NAME OF OPERATOR: EOG RESOURCES, INC.			9. API NUMBER: 43047521560000
3. ADDRESS OF OPERATOR: 600 17th Street Ste 1000N	, Denver, CO, 80202	PHONE NUMBER: 435 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2125 FNL 1186 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	tip, range, meridian: 25 Township: 09.0S Range: 22.0E Me	ridian: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICA	ATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start.	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
12/13/2016	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION		
		SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
DRILLING REPORT	L TUBING REPAIR		☐ WATER DISPOSAL ☐
Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	☐ APD EXTENSION
	WILDCAT WELL DETERMINATION	✓ OTHER	OTHER: Drig Ops
EOG Resources, surface casing wa	COMPLETED OPERATIONS. Clearly show, Inc. spud the referenced vs set on 6/23/12 at 2199' Tricing no activity has occur	vell on 5/10/12. 9 5/8" VD. Due to a decline in	depths, volumes, etc. Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY December 23, 2016
NAME (PLEASE PRINT) Kristen Limongelli	PHONE NUM 303 262-9931	BER TITLE Assistant Regulatory Sr.	
SIGNATURE		DATE	
N/A		12/13/2016	

Sundry Number: 77389 API Well Number: 43047521560000

	STATE OF UTAH		FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU0285A
SUNDR	RY NOTICES AND REPORTS	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	oposals to drill new wells, significantly reenter plugged wells, or to drill horize n for such proposals.		7.UNIT or CA AGREEMENT NAME: CHAPITA WELLS
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: CWU 1580-25D
2. NAME OF OPERATOR: EOG RESOURCES, INC.			9. API NUMBER: 43047521560000
3. ADDRESS OF OPERATOR: 600 17th Street Ste 1000N	, Denver, CO, 80202	PHONE NUMBER: 435 781-9111 Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 2125 FNL 1186 FWL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 25 Township: 09.0S Range: 22.0E Mei	ridian: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICA	ATE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION
1/9/2017	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	_		
	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
DRILLING REPORT	L TUBING REPAIR		☐ WATER DISPOSAL ☐
Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION	✓ OTHER	OTHER: Drilling Ops
EOG Resources, surface casing wa	completed operations. Clearly show, Inc. spud the referenced ws set on 6/23/12 at 2199' Tricing no activity has occurr	vell on 5/10/12. 9 5/8" VD. Due to a decline in	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY January 20, 2017
NAME (PLEASE PRINT) Amber Schaller	PHONE NUMI 303-262-2840	BER TITLE Regulatory Specialist	
SIGNATURE		DATE	
N/A		1/9/2017	